

Other Fellow Fuchsias - Cultivar List 2015

KEY: S - Single; SD - Semi Double; D - Double; B - Bush; CB - Compact Bush; UB - Upright Bush; ST - Semi Trailing; TR - Trailing; Cr - Creeping; SB - Self Branching; SJ - Short Jointed
 T - Tube; S - Sepals; C - Corolla; TF - Tubular Flower; Nf - Little or no flare; Rc - Recurved; Rx - Reflected; Hz - Horizontal; AGM - RHS Award of Garden Merit; V - Variegated

Bush or Upright up to H2 (Min 1 - 5°C)

Adriaan van Bylant (Cuppens, J, (BE), 2002). T: White. S: Pale pink, light yellow-green tips, $\frac{1}{2}$ down, Rc. C: Light Purple, maturing light rose, $\frac{1}{2}$ flared, wavy edges. D, B, H2
Alan Ayckbourn (Clark, Dave, (UK), 2009). T: Baby pink, slightly darker stripes. S: Baby pink through white to green at tips. C: White, $\frac{1}{4}$ flared. S, B, H2
Alberttina (Netjes, A, (NL), 1985). T: Rose pink, short. S: Pale pink, green tips, $\frac{1}{2}$ up. C: Baby pink, $\frac{3}{4}$ flared. S, B, H2
Alexandra Meles (van der Putten, BW, (NL), 1989). T: White, very short. S: Pale pink, green tips, near fully up, Rc. C: Violet reddish purple, pale pink/white base, slight flare. S, CB, H2
Alf Thornley (Clark, Dave, (UK), 2011). T: Pink. S: Vibrant red rose, slightly Rx. C: A smooth creamy white. D, B, H2
Alison Patricia (Johns, Eric, (UK), 1981). T: Shortish, red. S: Pink, $\frac{1}{2}$ down. C: Violet red, veined. AGM, SD, B, H2
Alison Reynolds (Reynolds, Edmund, (UK), 1990). T: Rose pink, slender. S: Rose pink fades to apple green tips, $\frac{1}{4}$ up, Rx. C: Purple red, purple blue edges, fully flared, rolled, curved. D, B, H2
Allan Taylor (Porter, John, (UK), 1982). T: Red, pink bias, short, slender. S: Red, pink bias, $\frac{1}{2}$ down, Rx, Rc at tips. C: White, red veins, scalloped edges, $\frac{1}{2}$ flared. S, CB, H2
Alyssa May Garcia (Garcia, Sid, (UK), 2011). T: Bright white, slight pink blush. S: Creamy pink, slightly up, Rc. C: Pink, lilac, maturing to pink, $\frac{1}{2}$ flared. D, B, H2
Ambassador (Jones & Machado, (UK), 2011). T: Warm rosy pink, slender. S: Warm rosy Pink, fully up, Rc. C: Lavender violet, paler base, $\frac{1}{2}$ flared. S, B, H2
Andrew Hadfield (Rowell, Joseph, (UK), 1962). T: Carmine, short. S: Carmine, green tips, Hz, Rx. C: Periwinkle blue, slight pink veining, $\frac{1}{2}$ flared. S, B, H2
Angela King (Wilkinson, Malcolm, (UK), N/K). T: Pink. S: Pale pink, green tips. Hz, Rx. C: Opens blue, matures to pale cerise, $\frac{3}{4}$ flared. S, CB, H2
Angie Baby (N/K, N/K). T: Warm peachy orange-pink. S: Orange-pink. Swept right back over tube, Rx tips. C: Smoky coral pink, salmon. Fully flared. S, B, H2
Anhaltiner (Strümper, Karl, (DE), N/K). T: Pale pink, darker stripes, short. S: White, pink blush, pale green tips, $\frac{1}{4}$ down, Rc. C: Light magenta-purple, darker edges, $\frac{1}{4}$ flared. S, CB, H2
Anita (Gotz, Paul, (DE), 1990). T: Short, white, coral pink blush. S: White, greenish tips, Hz, Rc tips. C: Pink/orange, $\frac{1}{3}$ flared, glows. S, B, H2
Anjo (Heessen, (NL), 1989). T: White, slender. S: White, Hz to $\frac{1}{2}$ up, Rc. C: Purplish rose, paler base, $\frac{1}{2}$ flared. S, B, H2, V
Anna Louise (Wilkinson, Malcolm, (UK), 1989). T: White, pink blush, short. S: White, pink blushes, green tips, Hz, Rc. C: Pale blue maturing lavender, graduating white base. S, CB, H1c
Annie Earle (Lye, James, (UK), 2004). T: Creamy white, slender. S: White, $\frac{1}{2}$ down, straight but slight Rc at tips. C: Deep fuchsia, slightly flared. S, B, H2
Anniek Geerlings (Franck, MA, (NL), 1887). T: Pale rose pink, hint of lilac. S: Pale rose pink, slightly down, tips Rc. C: Lilac rose pink, $\frac{1}{4}$ flared, folded petals. S, UB, H2, TF
Antigone (Banks, Edward, (UK), 1988). T: White. S: White, slight pink blush. C: Smoky rose pink, paler base, $\frac{1}{2}$ flared. S, B, H2
Apart (Moerman, A, (NL), 1887). T: Creamy white. S: White, green tips, Hz, slight Rc at tips. C: Pink petal edges fade paler to white at petal base, $\frac{1}{2}$ flared. S, UB, H2, TF
Arels Nina (Elsman, AJ, (NL), 1991). T: White, pale green tips. S: White, pink edges, green tips, slightly down. C: White, very slight pink flushes. $\frac{1}{4}$ flared. S, B, H2
Arels Tojo (Elsman, AJ, (NL), 2011). T: White, pink candy stripes, long, slender. S: White, apple green tips, fully up, Rc. C: Dark reddish purple, $\frac{1}{4}$ flared. S, B, H2
Ashville (Wilkinson, Malcolm, (UK), 2011). T: Creamy white, pink blush. S: White, hint of rose, green tips, slightly down, Rc. C: Rich pink, lavender, paler base, $\frac{1}{4}$ flared. S, CB, H2
Avon Celebration (Lockyer, John, (UK), 2010). T: White, fairly short. S: White, apple green tips, $\frac{1}{2}$ up, slightly Rx. C: White base, shading to pink to mauve-lilac, darker edges. SD, B, H2, V
Baby Brooke (Swaby, Alan, (UK), 1978). T: White, rose hints, short. S: White, hint of rose, green tips, $\frac{1}{2}$ up, Rc. C: Violet, matures paler, Nf. S, CB, H2
Barbara Reynolds (Reynolds, Gordon, (UK), 2011). T: Cream, hint of pink, short. S: Cream, hint of pink at base, Hz, tips Rc. C: White, flaring only slightly when mature. S, CB, H2
Beauty of Purbeck (Swinbank, Lorna, (UK), 2005). T: White, pale pink striping. S: White, rose flushes & stripes, green tips, $\frac{1}{2}$ up, Rc. C: White, $\frac{1}{4}$ flared. SD, B, H2

Bush or Upright up to H2 (Min 1 - 5°C)

Beauty of Trowbridge (Lye, James, (UK), 1991). T: Waxy creamy-white, striped pale pink. S: Creamy-white, Rc, greenish at tips. C: Cerise, creamy-white at base. S, UB, H2
Binnenland ('t Binnenland) (van den Brink, GJ, (NL), 1881). T: Pink, short. S: Pale pink, lighter undersides, $\frac{1}{2}$ up, straight. C: Reddish purple. Slightly flared, bell shaped. S, B, H2
Black Prince (Banks, Edward, (UK), 2007). T: Bold red, short. S: Bold red, Hz, Rc. C: Very deep purple, almost black, $\frac{1}{4}$ flared. S, B, H2
Bland's New Striped (Bland, J, (UK), 1861). T: Amaranth red, short. S: Amaranth red, Hz, fully Rc, curly. C: Bold purple, red veined raspberry streaks. $\frac{1}{2}$ flared. S, B, H2
Blue Sleighbells (Barton, (NZ), 1872). T: White, faint green striping. S: Bright white, apple green at Rc tips, $\frac{1}{4}$ up. C: Bold lavender blue, white 'flames' at base, up to $\frac{1}{4}$ flared. S, UB, H2
Brenda White (Pacey, Robert, (UK), 2001). T: Carmine pink. S: Carmine pink to white to apple green tips, Hz, slight Rc. C: Carmine pink blush base, to bright clean white, $\frac{1}{4}$ flared. S, CB, H2
Brian McFetridge (Swaby, Alan, (UK), 1986). T: Red, darker stripes. S: Red-violet, paler towards green tips, Hz, Rc fully up. C: Indigo-purple, $\frac{1}{2}$ flared when mature. SD, B, H2(3?)
British Jubilee (Bielby/Oxtoby, (UK), 2010). T: Pale pink. S: Pale pink, Rc at tips. C: Claret rose. D, B, H2(3?)
British Sterling (Foster, (US), 1988). T: White, plump & short. S: White on top, pink underside, green tipped. C: Lavender faintly blushed with rose, delicate pink veined. SD, B, H2
Calverley (Holmes, Ron, (UK), 1973). T: White, pink stripes, short. S: White, deep rose pink stripes, $\frac{1}{2}$ up. C: Violet, bold. Slightly flared, barrel shaped. S, B, H2(3?)
Cambridge Louie (Napthen, CW, (UK), 1992). T: Warm pink, medium sized. S: Warm pink, Hz, green Rc tips. C: Pinkish violet, $\frac{1}{4}$ flared, smooth petal edges. S, B, H2
Canny Bob (Hewitson, RW, (UK), 1977). T: White, short. S: White, tiny green tips, slightly below Hz. C: Baby pink, bright coral pink picotee edges to the petals, $\frac{1}{4}$ flared. S, UB, H2
Careless Whisper (de Cooker, Mario, (NL), 1997). T: Light coral, faint darker stripes. S: White, pale green Rc tips, coral at the base, Hz, Rc. C: Smooth, unflared petals of soft rosy pink. S, B, H2
Carla Johnson (Pacey, Robert, (UK), 2000). T: Pale coral. S: White, trace of pink under, $\frac{3}{4}$ up, slightly Rc tips. C: Very pale lavender pink, $\frac{1}{4}$ flared, neat, rounded petals. S, B, H2
Caroline (Miller, (UK), 1986). T: Pink, short. S: Pink, cream flushes, fully up, Rc. C: Lavender-violet, $\frac{1}{4}$ flared, bell-shaped. S, UB, H2
Chang (Hazard, H, & Hazard, B, (US), 1967). T: Orangey red, short. S: Orangey red fading to green, short, slightly Rc. C: Orange to red. AGM, S, B, H2
Chantelle Garcia (Garcia, Sid, (UK), 1946). T: Very pale pink. S: Pinkish white, green tips, $\frac{1}{2}$ up, tips Rc. C: Opens lavender, paler base, matures pinkish mauve, full flare. D, B, H2
Chartwell (Gadsby, Cliff, (UK), 2009). T: White. S: Rhodamine pink, fading white to green tips, Rc. C: Bold wisteria blue, paler toward base. S, B, H2
Checkerboard (Walker & Jones, (US), 1977). T: Red, sometimes striped. S: Red base, then white, Hz, slight Rc. C: Darker red than tube, white at the base of the petals. AGM, S, UB, H2, TF
Cherry Lee (Phillips, Nancy, (US), 1948). T: White. S: White, pink flush at base & toward tips. Hz, Rc. C: Blue violet, creamy white base, purple red flush, $\frac{1}{4}$ flared. SD, B, H2(3?)
Clipper (Lye, James, (UK), 2013). T: Scarlet, curvy. S: Scarlet, $\frac{1}{2}$ to $\frac{3}{4}$ up, Rx. C: Purple, lighter at base, darker at edges, $\frac{1}{2}$ flared. S, B, H2
Cloverdale Jewel (Gadsby, Cliff, (UK), 1897). T: Rose. S: Rose fading pink to green tips, $\frac{1}{2}$ up. C: Wisteria blue, rose pink veining, pale pink base. $\frac{1}{4}$ flared. SD, UB, H2
Coronation (Tiret, Horace, (US), 1974). T: Short, creamy white. S: Long, creamy white. C: Pink, splashed with raspberry red. D, UB, H2
Countess of Aberdeen (Forbes, D, & Cocker, (UK), 1953). T: White (N155B), short. S: Light red pink, Hz, Rc tips. C: Purple red base, dark pink red. $\frac{1}{2}$ flared. S, B, H2
Coxeen (Howlett, Charles, (UK), 1856). T: Dark pinkish coral. S: Pure white, greenish tips, Hz, Rc. C: Purple pink, a white flush from the top, $\frac{1}{3}$ flared. S, ST, H2
Crosby Soroptimist (Clark, Dave, (UK), 1936). T: Creamy white, pink stripes. S: Pink, scarlet vein in centre, Hz, Rc tips. C: Cream, veined pink, burgundy anthers & stigma. $\frac{1}{2}$ flared. S, CB, H2
Cumbrian Lass (Reynolds, Eddie, (UK), 1989). T: Pink, short. S: Pink, bolder at edges, fully up, Rc. C: White, slight lavender smokiness - unusual. No flare. S, UB, H2
Dainty Lady (Lowe, H, (UK), 2011). T: Dark red, short, bulbous shape. S: Dark pink red, fully up, slight Rx. C: Long creamy white petals, $\frac{1}{4}$ flared, distinct dark pink veins. SD, B, H2
Dark & Delicious (N/K, 1878). T: Rich burgundy. S: Deep burgundy, fully up, twisted, Rc. C: Dark indigo, purple-violet, burgundy at base. Fully flared. S, B, H2
De Groot's Dream (de Groot, J, (NL), N/K). T: Bright rose pink, short. S: Bright scarlet pink, $\frac{1}{4}$ down. C: Aubergine. S, UB, H2
Deborah Jane (Wilkinson, Malcolm, (UK), 1991). T: Pale pink, faint darker stripes. S: Pale pink, Hz, tips Rc. C: Single, smooth pale lilac petals, $\frac{1}{4}$ flared. S, CB, H2
DebRon's Beau Dean Richard (Monnier, Debbie & Ron, (US), 2007). T: Red. S: Magenta, Hz, tips Rc. C: Dark purple, maturing dark reddish purple, $\frac{1}{4}$ flared. D, CB, H2

Bush or Upright up to H2 (Min 1 - 5°C)

DebRon's Party Girls (Monnier, Debbie & Ron, (US), 2009). T: Light rose (58D). S: Light rose, pale green tips, fully up, Rc. C: Opens purple, matures reddish purple, $\frac{3}{4}$ flared. S, CB, H2
DebRon's Snow Fairy (Monnier, Debbie & Ron, (US), 2009). T: Dark rose (54A). S: Magenta to pink, darker at base, fully up, Rx. C: Cream, light reddish purple veins. $\frac{1}{2}$ flared. SD, CB, H2
Delta's Dream (Vreek-van't Westeinde, (NL), 2012). T: Greeny-white. S: White, green tips, Hz with partial recurve. C: White, purple-rose blush & edges. Fully flared. S, UB, H2
Delta's Parade (Vreek-van't Westeinde, (NL), 1994). T: Dark rose (54B). S: Red purple, $\frac{1}{2}$ up, tips Rc. C: Dark purple, $\frac{1}{4}$ flared. SD, CB, H2
Derrick's Folly (N/K, 1991). T: Pale pink. S: Pale pink, apple green tips, $\frac{1}{2}$ up, tips Rx. C: Warm magenta pink, slight picotee edge, $\frac{1}{4}$ flared. S, B, H2
Deutsche Perle (Twrdfy, Johann Nepomuk, (CZ), N/K). T: Creamy white. S: Creamy white (pink blush in sun), $\frac{1}{4}$ down. C: Dark pink, edged purple red, $\frac{1}{4}$ flared. S, B, H2
Diamond Wedding (Holmes, Ron, (UK), 1874). T: Glossy red, short. S: Glossy red, pale green tips, $\frac{1}{2}$ up, fully Rc. C: Red-violet to red-purple, red veins, $\frac{1}{2}$ flared. S, B, H2
Doffie (Swaby, Alan, (UK), 1989). T: Red, purple tinge. S: Red, purple tinge, Hz, slight Rc. C: Purple-violet, $\frac{1}{4}$ flared. S, CB, SJ, H2(3?)
Doray (Birt, Ray, (UK), 2008). T: White. S: White, maybe pale green tips, fully up, Rc tips. C: Opens violet blue, white base, matures pale violet. $\frac{1}{4}$ flared. S, B, H2
Doris Joan (Sheppard, Derek, (UK), 2011). T: Creamy white. S: Creamy white, green tinge, $\frac{1}{2}$ up, fully Rc. C: Pale pink, a hint of lilac, $\frac{1}{2}$ flared, scalloped petal edges. S, B, H2
Dorothy Shields (Redfern, Frederick, (UK), 1997). T: Pale rose, short. S: Rose, $\frac{1}{2}$ up, Rc apple green tips. C: Violet maturing purple, $\frac{1}{2}$ flared. D, B, H2
Duchess of Albany (Rundle, Walter, (UK), 1989). T: Creamy white. S: Creamy white, slightly down from Hz. C: Glowing dark pink red, petals have gently ruffled pleats. S, B, H2
Dying Embers (Carless, Howard, (UK), 1891). T: Crimson red. S: Crimson red. C: Aubergine. S, B, H2
East Anglian (Thorne, Thomas, (UK), 1997). T: Creamy white. S: Creamy white, pink blush, $\frac{1}{2}$ down, Rc tips. C: Deep rose pink to lighter pink, orange tinge near base. S, B, H2
Echo (Stiff, Ted, (UK), 1960). T: Red pink, short. S: As tube, each sepal slightly different. C: Dark pink violet, light violet centre, veins purple red, $\frac{3}{4}$ flared. S, B, H2
Ede Staal (Koerts, Tielko, (NL), 1995). T: White, sometimes hint of pink. S: Pale pink, bold pink, green tips, $\frac{1}{2}$ up, slight Rx. C: Baby rose pink with darker picotee edges, $\frac{1}{2}$ flared. S, B, H2
Eden Rock (N/K, 2004). T: Bold rose red. S: Bold rose red. C: Blueish aubergine. S, B, H2
Eleanor Clark (Clark, Dave, (UK), N/K). S: Very pale pink with deeper pink stripes. C: Seashell pink. Foliage: Light to medium green. S, B, H2
Eleanor Grace (Bush, (UK), 1980). T: White. S: White, apple green tips, Hz, Rc. C: Coral rose, paler flushes, almost white at base, $\frac{1}{2}$ flared. S, B, H2
Eleanor Leytham (Roe, George, (UK), 1989). T: Very pale pink. S: Short, broad & pale baby pink, Hz. C: A shallow $\frac{1}{2}$ flared cup of pale pink. S, B, H2
Emily Eve (Waving, Peter, (UK), 1973). T: Bold rose pink, bright red candy stripes. S: Bold rose pink & red, Hz, strongly Rx. C: Lilac pink, fully double, $\frac{3}{4}$ flared. D, CB, H2
Erik (Brunnert, Stefan, (DE), 2015). T: Pale pink, a greenish white tint. S: Unusual pink, overlying darker flush, slight Rc. C: Warm magenta pink. S, UB, H2
Evensong (Wilkinson, Colville, O, (US), 1979). T: Pale pink, darker stripes. S: White, pale pink blush at base, $\frac{1}{2}$ up, fully Rc. C: Pure white, maybe faint pink blush at base. S, UB, H2
Festoon (Baker, Bernard, (UK), 1967). T: Slender, creamy white. S: Creamy white, pink, green at tips, $\frac{1}{2}$ up. C: Rose pink, $\frac{1}{4}$ flared when mature. S, B, H2
First Kiss (de Graaf, Herman, (NL), 1970). T: Cream (158D). S: Pale creamy pink. C: Pale light red pink, $\frac{1}{2}$ flared. SD, CB, H2
Geoff Oke (Reynolds, Gordon, (UK), 1978). T: Creamy white, short. S: White, pink stripes, green tips, $\frac{1}{2}$ down, Rc tips. C: Heliotrope violet, $\frac{1}{4}$ flared. S, SB, H2
Georges Rémy (Massé, René, (FR), 2003). T: Rose pink, long. S: Rose pink, Hz. C: Purple-rose pink, $\frac{1}{2}$ flared. S, B, H1c, TF
Gladiator (Lemoine, Victor, (FR), 1992). T: Light red. S: Slightly darker red, $\frac{1}{2}$ up. C: Creamy pale pink, darker veins, fully flared. D, B, H2
Glendale (Evans & Reeves, (US), 1899). T: Purple red, Slender. S: Purple red, $\frac{1}{2}$ down. C: Dark pink, Nf. S, B, H2
Good Girl (Goodwin, Gordon A, (UK), 1936). T: Pale pink. S: Pale pink, Hz, slightly Rc. C: Violet-blue, maturing to light purple. S, CB, H2
Granada (Schnabel, Clement, (US), 2008). T: Pinkish red, striped slightly darker. S: Same colour as tube, Hz, Rc tips. C: Rich purple pinks, dark rose veins & flush at the base. D, UB, H2
Gunar Reich (Michiels, Marcel, (BE), 1957). T: Pale rose. S: White, light rose tint, $\frac{1}{2}$ up, Rc tips. C: Reddish purple maturing to light purple. $\frac{1}{2}$ flared. D, ST, H2

Bush or Upright up to H2 (Min 1 - 5°C)

Hampshire Blue (Clark, David, WH, (UK), 2008). T: Creamy white, hint of pink. S: White, pink tinge, slightly up, Rc almost back to the long tube. C: Periwinkle blue, $\frac{1}{2}$ flared. SD, B, H2, TF
Harlow Car (Johns, Eric, (UK), 1983). T: Pale pink, slender. S: Very pale pink, rose blushes, $\frac{1}{2}$ up, Rc. C: White. S, B, H2
Harriet Lye (Lye, James, (UK), 1988). T: Waxy white. S: Waxy white with tiny green tips, very slightly down from Hz. C: Pale pink base darkening into bold pink with lilac hints, $\frac{1}{2}$ flared. S, B, H2
Harvey's Reward (Allsop, (UK), 1883). T: Bright white. S: Bright white. C: Vivid burgundy. S, CB, H2
Hawaiian Sunset (McDonald, Robert, (UK), 2004). T: Very pale pink. S: Rose pink, slightly down from Hz. C: Rich reddish purple, matures slightly paler. D, B, H2
Hayley Jay (Garcia, Sid, (UK), 2004). T: Short, white. S: White blushed with pink, yellowish green tips, $\frac{1}{2}$ down on corolla. C: Opens rich lavender tinged with mauve, matures mauve. D, CB, H2
Henkelly's Gitano (Spierings, Henk, (NL), 2009). T: Red. S: Red, Hz, Rc tips. C: Dark reddish purple. $\frac{1}{4}$ flared. S, UB, H2
Henkelly's Hermine (Spierings, Henk, (NL), 2008). T: Creamy white, hint of rose. S: White, rose blush, green tips, Hz, slight Rc. C: Deep violet-purple, $\frac{1}{4}$ flared. S, B, H2
Henkelly's Trubia (Spierings, Henk, (NL), 2010). T: White, faint pink tinge. S: White at base, rose pink, green tip, $\frac{1}{2}$ down, slight Rc. C: Cerise, darker picotee edges, $\frac{1}{4}$ flared. S, B, H2
Henriette Ernst (Curio, Ernst, (DE), 2010). T: Dark pinkish red. S: Dark pinkish red, Hz. C: Light purple violet, dark rose veins, $\frac{1}{4}$ flared. S, CB, H2
HeRi Asagi (Buiting, Henry, (NL), 1907). T: Creamy white. S: Pale rose pink, fully up, tips Rc. C: Opens purple, maturing to a dark reddish purple, $\frac{3}{4}$ flared. SD, CB, H2
HeRi Trevally (Buiting, Henry, (NL), 2008). T: Pink. S: Pink through white to green tips, fully up, tips Rc. C: Slightly on the red side of purple. S, CB, H2
HeRi Watonai (Buiting, Henry, (NL), 2008). T: White. S: Warm pink, $\frac{1}{2}$ up, green Rc tips. C: Fully flared, magenta. S, ST, H2
Herps Buggy (Waldenmaier, Henk, (NL), 2008). T: Magenta. S: Reddish purple, magenta under, Hz to $\frac{1}{2}$ up, tips Rx. C: Light purple, matures pale reddish purple, $\frac{1}{2}$ flared. S, CB, H2
Herps Martina (Waldenmaier, Henk, (NL), 2003). T: White through pink, long, fluted. S: Short, pink then white, green tips. C: Neat, stunning pink/rose orange red. S, CB, H1b, TF
Herps Mignon (Waldenmaier, Henk, (NL), 2005). T: Light greenish white (157C). S: Cream, $\frac{1}{2}$ down, tips Rx. C: Pale pink, $\frac{1}{2}$ flared. D, SD, B, H1c
Herps Schalmei (Waldenmaier, Henk, (NL), 2002). T: Rose, long, slender. S: Rose, yellowish green tips, $\frac{1}{2}$ down, Rx. C: Opens dark rose, matures rose, no flare. S, CB, H1c
Herps Steekkar (Waldenmaier, Henk, (NL), 2006). T: Reddish purple (67A). S: Magenta, Hz, olive green Rx tips. C: Light purple, pale purple base, matures violet. $\frac{1}{4}$ flared. S, CB, H2
Herps Tamboerijn (Waldenmaier, Henk, (NL), 2006). T: Magenta (63B). S: Magenta top, dark rose under, Hz, tips Rc. C: Pale pink, $\frac{1}{4}$ flared. S, B, H1c
Horsforth Beauty (Swaby, Alan, (UK), 2002). T: Red, slender. S: Red, fully up, Rc. C: Opens violet blue, matures lavender, Nf. S, CB, H2(3?)
Horsforth in Bloom (Swaby, Alan, (UK), 2011). T: Dark rose, short. S: Dark rose, fully up, Rc. C: Opens dark purple, matures reddish purple, $\frac{1}{4}$ flared. S, ST, H2(3?)
Imogen Faye (Garcia, Sid, (UK), 2011). T: Very short, creamy pink. S: Creamy pink, matures darker, $\frac{1}{2}$ up, tips Rc. C: Rich lavender purple, matures more reddish, $\frac{3}{4}$ flared. D, B, H2
Impulse (Saxondale, (UK), 2011). T: Creamy white. S: Creamy white, $\frac{1}{2}$ up, Rc, pale green tips. C: Pale lilac, maturing a shade darker, $\frac{3}{4}$ flared. D, B, H2
Ivana van Amsterdam (van der Putten, BW, (NL), 1988). T: Rose pink. S: Rose purplish pink, green tips, Hz, slightly Rc. C: Pale lilac base, rest violet, violet blue edges, $\frac{3}{4}$ flared. S, B, H2
Jack Siversn (Reynolds, Gordon, (UK), 2002). T: Apricot pink, short. S: Pale violet-cerise, darker tips, fully up, Rc. C: Aubergine, matures violet-cerise, white base, $\frac{1}{4}$ flared. S, SJ, SB, H2
Jack Stanway (Rowell, Joseph, (UK), 2001). T: White, pink blushes. S: White, pink slightly Rc tips. C: Pink veined white, petals curving inwards at the ends. S, B, H2, V
James Lye (Lye, James, (UK), 1985). T: Creamy white, rose blush. S: White, rose blush, green tips. C: Cerise-purple maturing cerise. D, B, H2
Jaunty Jack (Allsop, (UK), 2010). T: Maroon/red. S: Crimson/maroon/red slightly Rc. C: Red aubergine. S, B, H2
Jean Frisby (Day, Jim, (UK), 2000). T: White. S: White, red-violet blush, Hz, slight Rc at tip. C: Purple-red. $\frac{1}{2}$ flared. S, UB, H2
Jeeves (Lockerbie, Ronald, L, (AU), 2000). T: Bold red, short. S: Bold red, slightly up, slight Rc. C: Persian rose, splashes of rich violet on lower $\frac{1}{2}$, $\frac{1}{2}$ flared. SD, B, H2
Jennifer Ann (N/K, 1975). T: White. S: White, $\frac{1}{2}$ down, slight Rc. C: Orange, Nf. S, UB, H2
Jenny May (Bush, (UK), N/K). T: Creamy pink. S: Creamy pink, Hz, slight Rc. C: Steely wisteria blue maturing lavender. Up to $\frac{1}{2}$ flared. S, UB, H2

Bush or Upright up to H2 (Min 1 - 5°C)

John Nicholass (Koerts, Tielko, (NL), 1977). T: Rose pink. S: Deep rose & green tips, slightly down, Rc tips. C: Aubergine, red hints, rose-pink base, rose veins, ¼ flared. S, B, H2
Jotu (N/K, 2012). T: Pink, short. S: Longish, pink, white. C: Flamboyant, audacious, stunning violet blue & pink ripple. S or D, B, H2
Joy Patmore (Turner, ET, (UK), N/K). T: Short, white. S: White, fully up, Rc. C: White base, white veins, rose pink petals, darker edges. S, B, H2
Judith Louise (Barnes, (UK), 1961). T: Creamy white. S: Creamy white, very slight pink blush. C: Cerise, darker edges, white at the base, ¼ flared. S, B, H2
Julie Marie (Kirby, John, (UK), 1995). T: Pale pink. S: Slightly darker pink, greenish white tips. C: Slightly darker pink, ¾ flared. D, B, H2
Katie (Thornley, Alfred, (UK), 1988). T: Smoky pink. S: White, pink edges, green tips, Hz. C: Pale rose-pink, up to ½ flared. S, B, H2
Katjan (Carless, Howard, (UK), 1962). T: Rich red. S: Red, slim & pointy. C: Deep red aubergine. S, UB, H2
Kocarde (de Groot, J, (NL), 1996). T: Orangey pink. S: Pinkish red, slightly down. C: Orangey red, red veining. S, B, H2
Lady Isobel Barnett (Gadsby, Cliff, (UK), 1983). T: Carmine rose red. S: Carmine rose red, Hz, well Rc. C: Pale purple, darker at edges of petals, pink veins. S, UB, H2
Laepines (N/K, 1968). T: Waxy creamy white. S: Creamy white, ½ down, slightly Rc tips. C: Rose red tinted, orange. S, UB, H2
Lancashire Lass (Sinton, Roy, (UK), 2000). T: Very pale pink, short. S: Very pale pink, green tips, ½ up, Rc. C: Opens hyacinth blue, matures lavender, ½ flared. S, B, H2
Landgoed Hulshorst (van den Brink, GJ, (NL), 1986). T: Deep rose pink. S: Deep rose red. C: Magenta-red, petals have distinctive serrated edges. D, B, H2
Laura (N/K, (NL), 2011). T: Pale orange pink. S: Pale orange pink. Hz, Rc green tips. C: Orange-pink base, orange-red to orange-purple, ½ flared. S, UB, H2
Letty Lye (Lye, James, (UK), 1986). T: Pinkish white, slim. S: Pinkish white, Hz, tips slightly Rc. C: Pinkish purple, up to ½ flared. S, UB, H2
Lilian (Johns, Eric, (UK), 1877). T: White flushed pink. S: White flushed pink. C: Pale pink/lilac. S, B, H2
Lillian Annetts (Clark, Dave, (UK), 2000). T: White, pink candy stripes, short. S: White, green tips, ½ up. C: Blue, white, pink towards centre, base of petals. AGM, D, B, H2
Lindisfarne (Ryle/Atkinson, (UK), 1993). T: Creamy white, pink tinge, striping. S: Creamy white, Hz, slightly Rc tips. C: Deep blueish purple matures violet purple, ½ flared. S & SD, B, H2
Lionel (Morris, (UK), 1974). T: White. S: White, green tips, ½ down, slightly Rc tips. C: Light mauve. Pale pink at base. S, B, H2
Little Fellow (Soo Yun, (US), 1998). T: Red (45A). S: Dark pink red, Hz. C: Purple pink (N74B), ¼ flared. S, ST, H2
Loeky (de Graaf, Herman, (NL), 1989). T: Bright mid rose red. S: Bright mid rose red, Hz. C: Pretty pink, red veins towards base, fully flared. S, UB, H2
London 2000 (Heavens, Paul, (UK), 1985). T: White, short. S: White, ½ up, Rc. C: Cyclamen-purple, maturing cerise. ½ flared. S, B, H2
London Eye (Waving, Peter, (UK), 2000). T: Pale pink. S: Pale pink, rose, apple green slightly Rc tips, slightly down. C: Blue-purple, pink at base, rose veins. S, B, H2
Lustre (Bull, William, (UK), 2006). T: Creamy white, slender. S: Waxy cream, ½ up. C: Folded petals of warm orangey pink mature flat. S, B, H2
Lydia (van den Brink, GJ, (NL), 1868). T: White, pale green stripes. S: White, green tips, fully up. C: Reddish purple, ½ flared. S, B, H2
Lye's Elegance (Lye, James, (UK), 2006). T: Creamy white, slender. S: Waxy cream, Hz. C: Rich cerise, ¼ flared. S, B, H2
Lye's Unique (Lye, James, (UK), 1844). T: Crisp white. S: Bright waxy white, Hz, slightly Rc tips. C: Salmon coral red. AGM, S, UB, H2
Lynne Patricia (Swaby, Alan, (UK), 1886). T: Rose pink, short. S: White, rose pink streaks, pale green tips, ½ up, Rc. C: White, lilac hint, rose veins & streaks from base, ¼ flared. D, B, H2(3?)
Mandarin Cream (N/K, 2007). T: White. S: White with palest pink blushes & faint green tips, Hz & slightly Rc. C: Orangey coral red, ¼ flared when mature. S, B, H2
Margaret Pilkington (Clark, Dave, (UK), 2005). T: White, rose stripes. S: White, rose veins, ½ down, strong Rc. C: Violet to purple. S, UB, H2
Maria Landy (Wilkinson, Malcolm/Muncaster, (UK), 1984). T: Pale pink. S: Palest pink, white, green tips, Hz, Rc. C: Pale violet blue, darker edges, matures pale violet, ½ flared. S, B, H2
Marina Kelly (Massé-Marcenac, 1991). T: White. S: Waxy white, faint green tips, ½ down, slightly Rc. C: Palest baby pink, ¼ flared when mature. S, B, H2
Martin's Double Delicate (Beije, Martin, (NL), 1990). T: Light red. S: Light red, fully up, greenish Rx tips. C: Double, pale lavender. D, B, H2

Bush or Upright up to H2 (Min 1 - 5°C)

Martin's Inspiration (Beije, Martin, (NL), 1998). T: White to pale pink, proportionately long. S: Red to purple, fully up & Rc. C: Pale pink to mauvish purple, ½ flared. S, B, H2
Martyn Smedley (Gadsby, Cliff, (UK), 2000). T: Waxy white , faint pink stripes. S: Rose pink, ½ down, tips Rc. C: Unflared, pinkish lavender blue. S, UB, H2
Mary Reynolds (Reynolds, Eddie, (UK), 1968). T: Short, rose red. S: Vivid purplish red, Hz, Rx. C: Fully flared, violet. D, B, H2
Mauve Beauty (Banks, Edward, (UK), 1976). T: Pinkish red, short, slender. S: Pinkish red, ½ up, tips Rc. C: Very full, lilac mauve, pink streaks. D, UB, H2
Mazda (Reiter, Victor, (US), 1869). T: Orangey pink. S: Orangey pink, ½ up, tips Rc. C: Vivid pinkish orange, paler base, dark pink veins, ¾ flared. S, UB, H2
Melanie (Haslinger, Dr. E, (DE), 1947). T: Dark red, short. S: Dark red, Hz, Rc. C: Very dark aubergine-navy blue. ½ flared. S, UB, H2
Mersty (Phillips, Nancy, (US), 1987). T: Greenish white, faintly striped. S: Creamy white, ½ up, twisted, green Rc tips. C: Pale violet, dark pink veins, Nf. SD, B, H2(3?)
Micky Goult (Roe, George, (UK), 2012). T: White, light pink flush, short. S: Pink turning to paler pink, green at the tips. C: Violet rose ageing to lilac. AGM, S, B, H2
Mini (Castro, (US), 1990). T: White, rose pink, long. S: Rose pink, white, ½ down, slightly Rx. C: Rose red, purple overtones, ¼ flared. S, UB, H2, TF
Minirose (de Graaf, Herman, (NL), 1969). T: Creamy-white, red blush. Small. S: White, red blush at base, Hz, slight Rc at tips. C: Red-purple, light rose-red base. ¼ flared. S, CB, H2
Minnesota (Garson, Gordon, (US), 1983). T: Creamy white, pink hint. S: Creamy white, trace of pink, Hz, Rc. C: Lavender purple, pink veins, carmine base, matures more magenta. SD, UB, H2
Miss Vallejo (Tiret, Horace, (US), 1938). T: Short, pale greenish rose. S: Pale rose pink, near white tip, fully up, Rc. C: Lilac-rose with rose veining. D, B, H2
Mr W Rundle (Rundle, Walter, (UK), 1975). T: Short, pale greenish rose. S: Pale rose pink, almost white at tip, near fully up. C: Lilac-rose with rose veining. S, B, H2
Musetta (Sloots, HA, (NL), 1896). T: Long, slim & white. S:White, trace of pink, almost fully up, greenish tips, Rc. C: Misty lilac blue, paler at base, Nf. S, B, H2
Napoléon (Meillez, A, (FR), 1988). T: Pinkish white, short. S: White, touch of pink at base, green tips, Hz. C: Pinkish violet, pale patch at base, ¼ flared. S, B, H2
Nathan Rhys (Garcia, Sid, (UK), 2010). T: Rose, short. S: Rose, pale pink tips, ½ down, slight Rc at tips. C: Deep lavender blue, matures lavender-violet. Nf. S, B, H2
Nettala (Francesca, Stasko, (US), 2011). T: Deep red. S: Deep red. Shiny. C: Red/violet. Glows. S, UB, H2
Northern Pride (Ryle, Dr. Mathew, (UK), 1973). T: Pink, short. S: Rose pink, green tips, fully up, tips Rc. C: Dark fuchsia pink, purple petal edges, fully flared. D, UB, H2
Ocean Beach (Krogh, Chad, (US), 1979). T: Pale salmon, slightly barrel shaped. S: Soft salmon, darker under, Hz, slight Rc tips. C: Orangey salmon, short, ¼ flared. S, B, H2, TF
Oddfellow (Dyos, Alan, (UK), 1975). T: Pale reddish pink, fairly short, broad. S: Pale reddish pink, paler near tip, slightly down, Rx. C: White petals, full, ¾ flared,. D, CB, H2(3?)
Olive Moon (Tite, Les, (UK), 1982). T: White, pink flush, short. S: White, pink flush, Hz, some Rc. C: White, pink blush, pink veins towards base, ¾ flared. SD, B, H2
Olympia (Rozain, J./Boucharlat, Laurent, (FR), 1987). T: Pale pink, rose pink stripes. S: Pale rose pink, Hz. C: Persian rose, paler base, magenta edges, ¾ flared. S, UB, H2
Olympics Sunset (Wood/Gibbs, (US), 1913). T: Purple to purple-red. S: Purple to purple-red. Hz, Rc. C: Purple-red to aubergine-red. S, UB, H2
Oostveens Thymen (van Schaik, Sigrid, (NL), 1995). T: White, pink stripes. S: Rose pink, white, green tips, fully up, slight Rc. C: Violet, blue, paler at base, ¾ flared. D, S, UB, H2
Orange Crush (Handley, Enid, (UK), 2011). T: Salmon/orange/pink. S: Cream, salmon-orange blush. Hz, strong Rc. C: Orange, paler at base. S, UB, H2, TF
Orange Crystal (Handley, Enid, (UK), 1972). T: Waxy white, blushed rose pink. S: Waxy white flushed rose pink, green tips, Hz, slight Rx. C: Orange, ½ flared. S, B, H2
Other Fellow (Hazard, H, & Hazard, B, (US), 1980). T: White. S: Medium length, white, Rc, tipped apple green. C: Petals white at base leading to lovely coral pink, ½ flared. S, UB, H2(3?), TF
Our Hilary (Dodman, Brian, (UK), 1946). T: Pale pink. S: Pale pink. C: Pale pink, deeper pink picotee edges. S, CB, H2
Pabbe's Bélle (Koerts, Tielko, (NL), 2008). T: Creamy white, slight pale pink blush. S: White, pink blush, pink, green Rc tips, Hz. C: Lavender, violet edges to the petals, bell shaped. S, B, H2
Pabbe's Klomponagel (Koerts, Tielko, (NL), 2003). T: Long, pink through white. S: White, greenish tips. C: Pink rose. S, B, H1c, TF
Pamela Wallace (Wallace, (UK), 1995). T: White blending to pink blush. S: Pink blush fading white apple green tinge, ½ up, Rc. C: Crisp white snow, short pink veins at base. S, CB, H2, V
Party Frock (Walker & Jones, (US), 2006). T: Bold rose pink. S: Bold rose pink, long, curling, green tips, fully up. C: Pale pastel blue, rose pink splashes. SD, S, UB, H2

Bush or Upright up to H2 (Min 1 - 5°C)

Pearly Queen (Dyos, Alan, (UK), 1953). T: Red. S: Rose red. Hz held, slight reflex. C: Pale rose & light blue with red veins. SD, B, H2
Peasholm (Edmund, Dave, (UK), 1980). T: Red, short. S: Red, fully up, Rc. C: White, red veining, ½ flared. S, B, H2
Peter Meredith (Reynolds, Gordon, (UK), 1979). T: White, apple green tinge, stripes. S: White, pink blush, green blush at tips. Hz, slight Rc. C: Peach pink, bolder pink picotee edges. S, B, H2
Petit Four (de Graaf, Herman, (NL), 2008). T: Pink blushed aubergine. S: Pink blushed aubergine tipped pale green. C: Rich dark aubergine. S, CB, H2
Piggelmee (Krom, Dirk, (NL), 1992). T: Reddish-purple. S: Reddish-purple, fully up when mature, Rc. C: Dark reddish-purple, no flare. S, CB, H2
Pink Sprite (Swaby, Alan, (UK), 1989). T: White. S: White, green tips, fully up, Rc at the tips, twisty. C: Magenta, white streaks, ½ flared. S, CB, ST, H2(3?)
Poppet (Holmes, Ron, (UK), 1982). T: Deep carmine red, short, curvy. S: Carmine red on top, green tips. Hz, slight Rc. C: Rose pink, raspberry veining, edges, ½ flared. S, SB, H2
Prestonfield (Cathcart, Andrew, (UK), 1983). T: White, carmine red stripes. S: White, some carmine striping, Hz, slight Rc. C: Lavender, pink veins, stains, splashes, ¼ flared. S, B, H2, V
Prince Syray (White, R J, (UK), 1971). T: Very pale pink, darker stripes. S: Pale pink fading to pale yellow-green tips, Hz. C: Bright red-rose, slightly darker at base, up to ¼ flared. S, B, H2
Queen Ester (Delta Farm Nursery, (US), 1975). T: Creamy white. S: Creamy white, green tips, ¼ down, tiny Rc at tips. C: Violet, white splashes from the base, raspberry veins, Nf. S, UB, H2
Regal (Horton, (US), 2000). T: Rose-madder, fairly long, straight. S: Rose-madder, fully up, Rc. C: Rose-madder, long, only slightly flared. S, UB, H2, TF
Remember Carole Anne (Swaby, Alan, (UK), 1948). T: White. S: White, green tips. C: Purple, large splashes or streaks of rose pink, fully flared. ST, H2(3?)
Reverend Frank Pagden (Swaby, Alan, (UK), 2011). T: Rosy red. S: Rosy red, green tips, Hz, Rx. C: Violet blue, red veins, matures pale purple-violet, ¼ flared. S, CB, H2(3?)
Riverdancer Claire (Koerts, Tielko, (NL), 2011). T: Red, short. S: Red, some pink. C: Veined violet rose. SD, B, H2
Riverdancer Liam (Koerts, Tielko, (NL), 2006). T: Pale rose. S: Hz, pale rose with green tips, slightly reflexed. C: Bold rose pink, darker edges, ½ to ¾ flared. S, B, H2
Roger de Cooker (de Cooker, Mario, (NL), 2007). T: White with pink bluses. S: White, fade gradually to rose, green tips, ½ down. C: Bold rose pink, pale pink at base, ¼ flared. S, UB, H2, TF
Rohees Matar (Roes, Carel, & Heesakkers, B, (NL), 1999). T: Magenta. S: Magenta, Hz or above, Rc at tips. C: Magenta, furled wavy edged crinkly petals, ¼ to ½ flared. D, CB, H2
Samantha Reynolds (Reynolds, Gordon, (UK), 1973). T: Creamy white. S: Creamy white, pale pink blush, green tips. ½ up, Rc. C: Violet-blue, matures violet-rose, ¼ flared. S, CB, H2
Scarisbrick (Bright, Christine, (UK), 2000). T: White, pale pink flush. S: White, pink blush near tube, green tips, Hz, slight Rx. C: White, slight pink veining at base, ½ flared. S, B, H2
Shelford (Roe, George, (UK), 2005). T: Short, baby pink with darker stripes. S: Baby pink through white to apple green tips. Hz, Rc. C: White with partial pink veining at base. S, B, H2
Silver Dawn (Bellamy, (UK), 1986). T: White, longish. S: White tipped, green, slightly above Hz. C: Periwinkle blue, matures bold electric indigo, ¾ flared. D, B, H2
Silver Surfer (Garcia, Sid, (UK), 1983). T: slender, long for size of flower, deep pink. S: Palest pink, slightly up from Hz with strong recurve. C: Very pale pink with a hint of lilac, Nf. S, B, H2
Sleigh Bells (Schnabel, Clement, (US), 2015). T: White, slim, fairly long. S: White, apple green tips, slender, well Rc. C: White, wispy pale pink veins, neatly ¼ flared. S, UB, H2
Softpink Jubelteen (Michiels/Wagemans, (BE), 1978). T: Palest pink. S: Pale pink to white to green tips, ½ down, slight Rc. C: Pale pink, darker at edges, ¼ flared. S, UB, H2
Sophie Grace (Swaby, Alan, (UK), 2002). T: Rose. S: Rose through white to green tips, ½ up, Rc. C: Violet-blue, ¼ flared. S, CB, H2(3?)
Sophie Louise (Wilkinson, Malcolm, (UK), 2011). T: Palest pink, short. S: Palest pink, fairly long, slightly up, Rc. C: Blue violet, ¼ flared. S, ST, H2
Stan (Giesen, Th, (NL), 1998). T: Pale rose, shortish. S: Pale rose, green tips, Hz, slight Rc. C: White, purple tinge, purple edge, ½ flared. S, CB, H2
Stardust (Handley, Enid, (UK), 2002). T: Salmon pink. S: Salmon pinky-orange, slightly down, Rc. C: Crimson edges, pink, pale orange base, ¼ flared. S, UB, H2
String of Pearls (Pacey, Robert, (UK), 1973). T: Rose pink. Short. S: Rose pink, paler ends, ½ to fully up, slight Rx. C: Very pale rose, purple-blue veining, ¼ to ½ flared. S, B, H2
Sue (Holmes, Ron, (UK), 1976). T: Cerise red. S: Cerise red. C: Red, orange. S, B, H2
Summerdaffodil (de Graaf, H, (NL), 1986). T: White, rose-pink blush. S: Palest rose-pink, Hz, green tips RC. C: Pale lilac-rose pink. S, B, H1c
Sunbeam Hillary (Gotz, Wolfram, (DE), 2008). T: Short greenish white. S: White fading to pink, Hz, Rc. C: Palest lavender. S, B, H2

Bush or Upright up to H2 (Min 1 - 5°C)

Sunray (Rudd, G, (UK), 2003). T: Short, red. S: Red, slightly down, slight Rc at tips. C: Mauve, darker at outer edges of petals. S, B, H2, V
Sunshine (Niederholzer, Gustave, (US), 1872). T: White flushed pink, pink stripes. S: White flushed rose pink, near Hz, Rc. C: Rose pink, darker carmine edges. $\frac{1}{2}$ flared. S, B, H2
Susan Green (Caunt, Jack, (UK), 1948). T: White, pale pink flush. S: White, pale pink shades, Hz, Rc, slightly twisty. C: Rose Pink, no flare. S, B, H2
Swanley Beauty (Lye, James, (UK), 1981). T: Waxy white, cream blush. S: White, faint pink tinge darker towards slightly Rx tips. C: Soft pink, $\frac{1}{4}$ to $\frac{1}{2}$ flared. S, B, H2
Swanley Yellow (Cannell, Henry, (UK), 1875). T: Orangey pink. S: Orange pink, tiny apple green tips, Hz, Rc. C: Orange vermillion, $\frac{1}{4}$ flared. S, B, H2
Szilvia Ocsai (Michiels, Marcel, (BE), 1900). T: Mainly white, some pale purple streaks. S: White, pink edges, Hz to $\frac{1}{2}$ up, Rc. C: Pale purple, matures pale lavender, $\frac{1}{4}$ flared. SD, B, H2
Thamar (Springer, W, (UK), 2000). T: White. S: White, pink flush near tips, $\frac{1}{4}$ down, Rc. C: Light violet, light purple, white base, white splashes, $\frac{1}{4}$ flared. S, B, H2
The Doctor (Castle Nurseries, (UK), 1987). T: White, flesh pink lines. S: White washed deep rose pink. Hz. C: Salmony pink, $\frac{1}{2}$ flared. S, B, H2
Ting-a-Ling (Schnabel, C, Paskesen, E, (US), 1930). T: Pink, darker stripes. S: White with apple green tips, fully up, slightly Rc tips. C: White with faint pink veins near base, $\frac{1}{4}$ flared. S, B, H2
Tom Knights (Goulding, Edwin, (UK), 1959). T: White. S: White, very slight pink blush, $\frac{1}{2}$ up, Rc. C: Lavender blue. $\frac{1}{4}$ flared. S, UB, H2
Turkish Delight (Sinton, Roy, (UK), 1983). T: Pale pink, short. S: Cerise, paler towards green tips, $\frac{1}{4}$ up, fully Rc. C: Iris blue, shaded plum, cerise veins, $\frac{1}{4}$ flared. S, CB, H2
Twinkling Stars (Handley, Enid, (UK), 2002). T: Pink, short. S: Pale rosy pink, green tips. Hz, Rc at tip. C: Fuchsia pink, $\frac{1}{4}$ flared when mature. S, UB, H2
Ullswater (Travis, James, (UK), 1976). T: White. S: White, green tips, $\frac{1}{4}$ up, slight Rx at tips. C: Orchid-blue maturing orchid-purple, $\frac{1}{4}$ to $\frac{1}{2}$ flared. D, B, H2
Vera Garcia (Garcia, Sid, (UK), 1840). T: Bold rose pink. S: Bright pink, darker edges, $\frac{1}{4}$ up, Rc. C: Lilac, blue overtones, deep pink base, up to $\frac{1}{2}$ flared. S, B, H2
Ville de Paris (Massé, René, (FR), 2010). T: Pale pink, faint stripes, longish. S: Pale pink, green tips, slender, $\frac{1}{4}$ down, Rc. C: Reddish purple, $\frac{1}{4}$ flared when mature. S, UB, H2, TU
Waldis Grafin (Dietrich, Waltraud, (DE), 1993). T: Heliotrope, pink overtone. S: Heliotrope, Hz, generously Rc. C: Mauve lavender, some plum veining or streaks, $\frac{1}{4}$ flared. S, B, H2
WALZ Doedelzak (Waldenmaier, Henk, (NL), 1997). T: Pink, red, yellow-green streaks. S: Red, dark rose pink, $\frac{1}{2}$ down, green Rc tips. C: Purple, red overtone, $\frac{1}{2}$ to $\frac{1}{4}$ flared, wavy edge. S, B, H2
WALZ Jubelteen (Waldenmaier, Henk, (NL), 1987). T: Short, white, faint pink lines. S: White on top, pale pink under, $\frac{1}{4}$ down, green tips. C: Bold rose pink, $\frac{1}{2}$ flared. S, B, H2
WALZ Sitar (Waldenmaier, Henk, (NL), 1990). T: White, pale green stripes. S: White, very pale rose tinges, green tips. C: Orange pink, $\frac{1}{4}$ flared, folded, crinkly. S, B, H2, TF
WALZ Toeter (Waldenmaier, Henk, (NL), 2001). T: Deep rose, long slender, tapering. S: Deep rose, yellow-green tips, $\frac{1}{2}$ down. C: Red, $\frac{1}{4}$ flared when mature. S, B, H1c, TF
WALZ Trompet (Waldenmaier, Henk, (NL), 1987). T: Claret rose, yellow waist, long, slender. S: Claret rose, green-yellow Rx tips, $\frac{1}{4}$ down. C: Light purple, petals curve in at edges, Nf. S, B, H2, TF
WALZ Tuba (Waldenmaier, Henk, (NL), 1985). T: Crimson, 2 $\frac{1}{2}$ " long, slender. S: Crimson, only slightly flared, green Rx tips. C: Tyrian Purple (61c), less than $\frac{1}{4}$ flared. S, B, H2, TF
Wassernymph (Story, WH, (UK), 1985). T: Creamy white, medium length. S: Creamy white, Hz, gentle Rc at tips. C: Orange red, $\frac{1}{4}$ flared. S, UB, H2
Waveney Queen (Burns, David, (UK), 1859). T: Creamy white, pink flush, short. S: Pale pink fading to green tips, Hz. C: Pale baby pink, darker pink veining, $\frac{1}{4}$ flared. S, B, H2
Waveney Valley (Burns, David, (UK), 1974). T: Creamy white, short. S: Creamy white, pale pink under, Hz, green Rc tips. C: Lavender blue maturing lavender pink, $\frac{1}{2}$ flared. S, B, H2
Waveney Waltz (Burns, David, (UK), 1984). T: Baby pink, very short. S: Baby pink, paler near tips, almost Hz. C: White, small amount of baby pink veining, $\frac{1}{4}$ to $\frac{1}{2}$ flared. S, B, H2
White Queen (Doyle, (UK), 1968). T: Waxy white. S: White, green tips, Hz, slight Rc near tips. C: Orange at base, coral pink, rose edges, $\frac{1}{4}$ flared. S, B, H2
Whoopee (Waving, Peter, (UK), 1899). T: Pink, darker stripes. S: Pink fading to almost white at tips, $\frac{1}{4}$ down. C: Pink base, pink veins, white, hint of mauve, $\frac{1}{2}$ flared. D, CB, H2
Wilf Langton (Evans, PW, (UK), 1997). T: White, short. S: White fading to pink. C: Rich purple on opening fading to pink lavender. S, B, H2

Semi Trailing up to H2

Alde (Goulding, Edwin, (UK), 1947). T: Rose pink, orange tinge. S: Pink, orange tinge, green tips. C: Apricot pink. S, ST, H2
Aloha (N/K, (NL), N/K). T: Bright pink. S: Bright pink. C: Purple, pink base & veining, Nf. S, ST, H2
Annie den Otter (Den Otter, AC, (NL), 1993). T: Apricot, long. S: Apricot rose, Hz, Rx. C: Bright rose pink, $\frac{3}{4}$ flared. S, CB, H1c, TF
Annie M G Schmidt (Krom, Dirk, (NL), 1996). T: Magenta. S: Same magenta as tube, Hz, tips Rc. C: Palest purple, magenta veining at base, $\frac{1}{4}$ flared. S, ST, H2
Baby Chang (Hazard, H, & Hazard, B, (US), 1950). T: Short, orange/red. S: Orange red, greenish tips. C: Orange, greenish ends to petals. D, S, ST, H1c
Beauty of Clyffe Hall (Lye, James, (UK), 1881). T: Creamy white, pink hint. S: Waxy pale pink, pale green tips, Hz, Rx tips. C: Fuchsia pink, lighter base, darker edges, $\frac{1}{4}$ flared. S, ST, H2
Beauty of Exeter (Letheren, W, (FR), 1890). T: Very pale rose pink, slim. S: Pale salmon pink, Hz, partially Rc. C: Bold rose pink, $\frac{1}{2}$ flared. SD, ST, H2
Berba's Trio (Bats-Wesseling, (NL), 1986). T: Rose pink. S: Rose flushed pink, green Rx tips. $\frac{1}{2}$ up. C: Variable, white, blue-purple & red-purple, $\frac{3}{4}$ flared. SD, ST, H2
Beverley Hills (Evans & Reeves, (US), 1936). T: Light red pink (38D). S: Red pink, pale green tips. C: Purple red, slightly paler at top, $\frac{1}{4}$ flared. SD, ST, H2
Black to the Future (N/K, N/K). T: Red-violet, short. S: Red-violet, $\frac{1}{2}$ up when mature, slight Rc at tips. C: Blue-black, blue edges, purple 'flames' from base, $\frac{1}{2}$ to $\frac{3}{4}$ flared. SD, ST, H2
Blue Satin (Walker, Roy, (US), 1968). T: White & pale rose, short. S: Rose pink through white to green tips. almost fully up & slightly Rc. C: Pale violet-blue, white at base, $\frac{3}{4}$ flared. D, ST, H2
Burgundy Velvet (Swaby, Alan, (UK), 2005). T: Red-violet, short, waisted. S: Red-violet, Hz, Rc. C: Burgundy, $\frac{1}{2}$ flared when mature. S, ST, H2
Cecil Glass (Lye, James, (UK), 1887). T: Pale pink. S: Pale pink, $\frac{1}{2}$ down, strongly Rx towards petals. C: Rich carmine pink. ST, H2
Chor Echo (Claes, Alfons, (BE), 1996). T: Rose. S: Rose, green tips. C: Dark rose, purple edges to the petals. S, ST, H1c, TF
Coachman (Bright, Christine, (UK), 1910). T: Pale salmon pink. S: Pale salmon pink fading towards tips, slightly under Hz. C: Intense orange red. S, ST, H2
Collingwood (Niederholzer, Gustave, (US), 1945). T: Creamy white, a hint of pink. S: Pale pink, apple green tips, Hz. C: Soft pink, ruffled petals, $\frac{3}{4}$ flared. D, ST, H2
Dawn Star (Bellamy, (UK), 1985). T: White, faint pale pink candy stripes. S: White, pale rose pink blush, $\frac{1}{4}$ up, Rc. C: Pale lavender, pink tinges, faint pink veins, $\frac{3}{4}$ flared. S, ST, H2
DebRon's White Linen (Monnier, Debbie & Ron, (US), 2012). T: White, green tinge, short. S: White, greenish Rc tips, $\frac{1}{2}$ down. C: White, fully double, $\frac{3}{4}$ flared. D, ST, H2
Delphobe (de Cooker, Mario, (NL), 2011). T: Pale rose, longish, slim. S: Pale rose, Hz, Rc. C: Red-purple, $\frac{3}{4}$ flared. S, ST, H1c, TF
Diamond Celebration (Johns, Eric, (UK), 1997). T: White. S: White, pink blush & stripe, Hz, arching upward Rc. C: Creamy white, faint pink flush. D, ST, H1c
Dorothea Flower (Thornley, Alfred, (UK), 1971). T: White, pale green base. S: White, pale pink veins, pale green tips. C: Rich lavender blue, pale pink base. S, ST, H2
Earl of Beaconsfield (Laing, P, (UK), 1878). T: Salmon pink. S: Salmon pink fading to pale green tip. C: Salmon orange. S, ST, H2, TF
Elizabeth (Whiteman, HH, (UK), 1989). T: Rose pink. Long, slender. S: Rose, green tips. C: Vibrant rose, salmon pink shading. S, ST, H2
Ffion (Welch, Charles, (UK), 2003). T: Pale lavender pink. S: Pale lavender. C: Purple tinged, bit of red. S, ST, H2
Flying Cloud (Reiter, Victor, (US), 1949). T: White, green tinge, in sun. S: White, to very pale pink, greenish white tips. C: White, pink blush at base, pinkish tinge in sun, $\frac{3}{4}$ flared. D, ST, H2
Flying Scotsman (Goulding, Edwin, (UK), 1985). T: White with faint pink blush.. S: White, faint pink blush, Hz, fully Rc. C: White base, bold violet, white streaks, $\frac{3}{4}$ flared. D, ST, H2
Forget-Me-Not (Niederholzer, Gustave, (US), 1940). T: Palest rose, slim. S: Light rose pink, $\frac{1}{4}$ up, Rc when mature. C: Dark lavender blue, matures lavender, $\frac{1}{4}$ flared. S, ST, H2
Formosissima (Girling, P, (UK), 1846). T: Creamy white. S: Creamy white with apple green tips, $\frac{1}{2}$ down. C: Bold coral pink, violet overtones, paler at base, up to $\frac{1}{4}$ flared. S, ST, H2
Gay Anne (Gadsby, Cliff, (UK), 1973). T: Claret rose pink. S: Crimson rose, Hz, some Rc. C: Lavender pink, magenta petal edges, Nf. SD, ST, H2
Gesaüseperle (Nutzinger, Karl, (AT), 1946). T: Waxy white, slender. S: Creamy white, slender, $\frac{1}{2}$ down. C: Purple, $\frac{1}{4}$ flared. S, ST, H2
Happy Anniversary (Hines, C & E, (AU), 1995). T: White, short. S: White, $\frac{1}{2}$ up, slightly Rc. C: Pale silvery lavender, fully double, $\frac{1}{2}$ flared. D, ST, H2
Harriett (Soo Yun, (US), 1971). T: White with pink tinge, short. S: White, hint of pink & green tips, $\frac{1}{2}$ up & slightly reflexed. C: Lavender blue, matures lavender, $\frac{3}{4}$ to fully flared. D, ST, H2

Harry Lye (Goulding, Edwin, (UK), 1988). T: White, pink blush. S: Pale pink top, darker under, green tips, $\frac{1}{2}$ up, Rc. C: Violet-pink, paler & $\frac{1}{4}$ flared when mature. S, SJ, SB, H2
Hazel (Richardson, Noel, (AU), 1988). T: White, pink stripes, shortish. S: Baby pink, paler near tips, Hz, slight Rc. C: Violet blue, pink splashes on outer, darker centre, fully flared. D, ST, H2
Henkelly's Chloris (Spierings, Henk, (NL), 1988). T: Rose pink. S: Rose, magenta under, Hz, olive green Rc tips. C: Purple maturing reddish purple. S, ST, H2
Henkelly's Vitalia (Spierings, Henk, (NL), 2012). T: Dark rose. S: Dark rose, magenta under, $\frac{1}{2}$ up, tips Rc. C: Reddish purple, matures magenta, bell shape, $\frac{1}{4}$ flared, wavy edges. S, ST, H2
Herps Kipkar (Waldenmaier, Henk, (NL), 2006). T: Reddish purple. S: Dark reddish purple, just under Hz, slight Rc. C: Purple maturing dark reddish purple. S, ST, H2
Hidcote Beauty (Webb, Peter, (UK), 1949). T: Creamy white. S: White, green tips, $\frac{1}{2}$ down, slight Rc. C: Pale salmon pink, $\frac{1}{4}$ flared when mature. S, ST, H2
Huet's Baraketh (Braam, Hans, (NL), 2006). T: Magenta. S: Reddish purple, pale green tips. Hz, fully Rc. C: Reddish purple maturing to purple. $\frac{1}{4}$ flared. S, ST, H2
Ixion (Aubin, RB, (DE), 1881). T: Light red pink, faint stripes. S: Light red pink, $\frac{1}{2}$ up, tips Rc. C: Between red pink & orange red, fading light red pink, $\frac{1}{2}$ flared. S, ST, H2
JaDi Messingtetra (Geenen, J, (NL), 2007). T: White, short. S: White, green tips, rose blushes near base, $\frac{1}{2}$ up. C: Opens violet blue, matures purple, fully flared. S, ST, H2
James Bamber (Reynolds, Eddie, (UK), 2011). T: Apricot pink, shortish. S: Fuchsia Pink, green slightly Rc tips, Hz to $\frac{1}{4}$ up. C: Pinkish aubergine, long, $\frac{1}{4}$ flared. S, ST, H2
Jasper Marnix (de Boer, J, (NL), 2008). T: Smoky red & green. S: Smoky red fading to green at tips. C: Dark smoky violet. D, S, ST, H1c
Joanne (Pugh, James Henry, (UK), 1978). T: Rose-red, short. S: Rose red, fully up, Rc to stem. C: Purple-mauve, carmine-pink base, carmine veining, fully flared. S, ST, H2
Lady Heytesbury (Wheeler, S, (UK), 1866). T: Waxy white, slender, straight. S: Waxy white, Hz, Rc. C: Rose pink, lighter base, deeper near edges, $\frac{1}{4}$ to $\frac{1}{2}$ flared. S, ST, H2
Lady Kathleen Spence (Ryle, Dr. Mathew, (UK), 1972). T: White, very slight pink blush. S: White, green tips, Hz, partial Rc. C: Delicate lavender matures slightly paler, $\frac{1}{4}$ flared. S, ST, H2
Lady Patricia Mountbatten (Clark, Dave, (UK), 1985). T: White, pale pink candy stripes. S: White, pink tinge, darker at base. Hz, Rc tips. C: As near blue as you could ask for, Nf. S, ST, H2
Marble Crepe (de Cooker, Mario, (NL), 2014). T: White & pale blush pink. S: White, yellow-green tips, $\frac{1}{2}$ down. C: White, pink edge, overall pink veining, petals textured, $\frac{1}{4}$ flared. S, B, H2, TF
Mood Indigo (de Graaf, Herman, (NL), 1988). T: White, orange-pink flushes. S: Rose, white, green tips. $\frac{1}{2}$ up, Rc tips. C: Purple, matures red-purple, raspberry splashes, $\frac{1}{2}$ flared. D, ST, H2
Moyra (Johns, Eric, (UK), 1990). T: Pale pink. S: Baby pink lighter near slightly Rc pale green tips. C: White, pink veining towards base, $\frac{1}{4}$ to fully flared. D, ST, H2
Mrs Marshall (Jones, (UK), 1862). T: Creamy white, slender, straight. S: Clear creamy white, Hz, Rc. C: Rosy cerise, paler at base. $\frac{1}{4}$ flared. S, ST, H2
Mrs W Rundle (Rundle, Walter, (UK), 1883). T: White with pink blush. S: Pale pink with faint palest green tips, $\frac{1}{4}$ down. C: Raspberry-orange, up to $\frac{1}{4}$ flared when mature. S, ST, H3. TF
Muriel (Carbell, (UK), 1930). T: Dark pink red (53C). S: Dark pink red, Hz to $\frac{1}{4}$ up, Rc. C: Pinkish purple, base is dark pink, veined, $\frac{1}{2}$ flared. SD, ST, H2
Naaldwijk 800 (Krom, Dirk, (NL), 1997). T: Cerise pink. S: Cerise pink to rose red at the tips. C: Aubergine, Nf. S, ST, H2
Nordseebrandung (Schütt, Hartwig, (DE), 2006). T: Fluorescent bright white. S: White, pink flushes, apple green tips. Hz, Rc. C: Deep, iridescent violet red, between $\frac{1}{4}$ & $\frac{1}{2}$ flared. SD, ST, H2
Orange Drops (Martin, George, (US), 1963). T: Pale orange. S: Pale orange, $\frac{1}{4}$ up when mature. C: Orange base, pink, smokey pink edges, $\frac{1}{4}$ flared. S, ST, H2
Pussycat (Felix, Rina, (NL), 1978). T: Pale rose pink, darker stripes. S: Peach rose, darker edges, green Rx tips, near Hz. C: Pink, slight orange tint, unusual petaloids, up to $\frac{1}{4}$ flared. S, ST, H2
Raspberry Ripple (Swaby, Alan, (UK), 2008). T: Red. S: Red, $\frac{1}{2}$ up. C: White, bold rose splashes from base. $\frac{1}{4}$ flared. D, ST, H2
Rose of Denmark (Banks, Edward, (UK), 1864). T: White, slender, a waist. S: White on top, $\frac{1}{4}$ up, somewhat Rx. C: Purple-rose, pink veining, more pink at base, $\frac{1}{2}$ flared. SD, ST, H2
Sunset (Niederholzer, Gustave, (US), 1948). T: Waxy white. S: Pale pink, darker under, pale green tips, Hz, slightly Rc. C: Bright glowing coral pink, $\frac{1}{4}$ to $\frac{1}{2}$ flared. S, ST, H2
Swanley Pendula (Lye, James, (UK), 1875). T: Palest orange-pink. S: Palest orange-pink, near Hz. C: Rich orange, vermillion tones, darker edges, $\frac{1}{4}$ flared. S, ST, H2
Sylvia Barker (Barker, (UK), 1973). T: Creamy white. S: Creamy white, pale green tips, $\frac{1}{2}$ down, Rc. C: Smoky scarlet, up to $\frac{1}{4}$ flared. S, ST, H2
Tanya Bridger (Bridger, A, (UK), 1958). T: Rose, darker stripes. S: White, hint of rose, $\frac{1}{2}$ down, slight Rc. C: Electric indigo, $\frac{1}{2}$ flared. SD, ST, H2
WALZ Mandoline (Waldenmaier, Henk, (NL), 1988). T: Light orange, thickish. S: Reddish orange, orange under, near Hz, Rx tips. C: Deep orange, $\frac{1}{4}$ to $\frac{1}{2}$ flared. S, ST, H2

Waveney Sunrise (Burns, David, (UK), 1986). T: Pale pink, orange tinge. S: Pink fading through white to green. C: Bright red. S, ST, H2

Wentworth (Goulding, Edwin, (UK), 1986). T: Orange to pale orange. S: Orange base fading pink to white, $\frac{1}{2}$ down, slight Rc. C: Orange pink, red picotee edges, $\frac{1}{4}$ flared. S, ST, H2

White Spider (Haag, W. & R. (US), 1951). T: Pale pink, longish & slender. S: Very pale pink, green tips, long, Hz, Rc, curly. C: White, pink veining, $\frac{1}{4}$ flared. S, ST, H2

Wilson's Sugar Pink (Wilson, JW, (UK), 1979). T: White, pink shading. S: Palest pink on top, slightly darker pink underneath. C: Mallow pink, Nf. S, ST, H2

Zus Liebregts (Buiting, Henry, (NL), 2006). T: Pink fading to green. S: Pink fading to green, short, spiky looking. C: Violet, full, $\frac{3}{4}$ flared. D, ST, H2

Trailing up to H2

Alton Water (Ransby, (UK), 1992). T: Pale pink. S: Pale pink. C: Mauve, paler centres, $\frac{1}{4}$ to $\frac{1}{2}$ flared. S, TR, H2

Amazing Maisie (Allsop, (UK), 2001). T: Pale baby pink. S: Pale baby pink, green tips, fully up, Rc. C: Smoky orange, smoky purple, orange-pink splashes, $\frac{1}{2}$ flared. SD, TR, H2

Amerika (N/K, N/K). T: White. S: White, greenish tips. C: Pink, violet blush, orangey pink at base. SD, TR, H2

Auntie Jinks (Wilson, JW, (UK), 1970). T: Pink/red. S: White, scarlet edging. C: Violet, white blush, $\frac{1}{4}$ flared. S, TR, H2

Autumnale (Courcelles, (FR), 1880). T: Scarlet. S: Scarlet-rose, $\frac{1}{2}$ down. C: Purple, little or no flare. S, TR, H2, V

Belinda Jane (Fisher, Gordon, (UK), 1994). T: Waxy white, slender. S: Waxy white, green tips, $\frac{1}{2}$ down, small Rc at tips. C: Pink-salmon-orange, $\frac{1}{2}$ flared when mature. S, TR, H2

Big Slim (Sloots, HA, (NL), 1994). T: Very pale pink-tangerine (some variation). S: Slim sepals, white, pink, green tips. Variable. C: Darker orangey pink. S, TR, H1c, TF

Blauer Engel (AKA Blue Angel) (Dietrich, Waltraud, (DE), 1995). T: White, pale green stripe. S: White. C: Blue, dark wisteria shade. D, TR, H1c

Blowick (Porter, Alan, (UK), 1984). T: Pale fuchsia pink, short. S: Fuchsia pink, Hz, slight Rc at tips. C: Mallow-purple, matures plum. $\frac{1}{2}$ flared. S, TR, H2

Blue Veil (Pacey, Robert, (UK), 1980). T: White with pink candy stripes, short. S: White, held horizontal with varying recurve. C: Pale blue with slight violet overtone, fully flared. S, TR, H2

Daisy Bell (Miesecke, Carl, (US), 1977). T: Pale rose pink, orangey overtones. S: Pale orange-pink, green tips, $\frac{1}{4}$ down, slight Rx. C: Vermilion, more orange at base. $\frac{1}{4}$ flared. S, TR, H2, TF

Dark Mistery (Spierings, Henk, (NL), 1967). T: White. S: Rose aubergine, Hz, Rc tips. C: Purple aubergine, up to $\frac{1}{2}$ flared. D, TR, H2

DebRon's Tonii Nicole (Monnier, Debbie & Ron, (US), 2009). T: Yellowish white. S: White, pink under, green tips, fully up, tips Rc. C: Light violet splashed pink, $\frac{1}{2}$ to $\frac{3}{4}$ flared. D, TR, H2

Delta's Fellow (Vreek-van't Westeinde, (NL), 1991). T: Soft pale rose. S: White, green tips, fully up, Rx tips. C: Soft lilac, $\frac{1}{3}$ flared. S, TR, H2, TF

Emily (Gotz, Wolfram, (DE), 2001). T: White blushed slightly pink. S: White slightly blushed pink, green tips. Boldly Rc. C: Lilac, $\frac{1}{2}$ flared. S, TR, H2

Fiona (Clark, David, WH, (UK), 1958). T: White. S: White, green tips, partly up in a r&om fashion. C: Pale lavender, white at base of the petals. $\frac{1}{2}$ flared. S, TR, H2

Flair (Tiret, Horace, (US), 1961). T: Pale pink, slender. S: Pale rose to pale pink to green tips, fully up. C: Lavender blue getting paler towards base of petals. D, TR, H2

Frozen Tears (de Cooker, Mario, (NL), 1992). T: Pale red. S: Pale red, blueish overtones, $\frac{1}{2}$ down, Rc. C: Crimson at base then a reddish purple, $\frac{1}{2}$ flared. S, TR, H2, TF

Gay Future (Gadsby, Cliff, (UK), 1975). T: White, flushed persian rose pink. S: White, persian rose pink blush, Hz, Rx. C: Pale violet, white base, darker violet egdes, $\frac{1}{4}$ flared. S, TR, H2

Gerharda's Aubergine (de Graaf, Herman, (NL), 1989). T: Bold red, slender. S: Bold red, $\frac{3}{4}$ up, Rc. C: Aubergine, matures burgundy, $\frac{1}{2}$ flared. S, TR, H2

Gina (Hobson, WH, (UK), 1974). T: Pale rose. S: Rose pink, green tips. C: White, rose veining from base, fully flared. D, TR, H2

Hage Pinokkio (Rijkers, (NL), 2010). T: Light pink. S: Light pink, light apple green tips, Hz, Rc tips. C: Pale pink. $\frac{3}{4}$ flared. S, TR, H2

Harmony (Tabraham, AP, (UK), 1978). T: White, faint pink stripes. S: Pinkish white, $\frac{1}{2}$ up, tips Rc. C: Light purple, aging to a slightly pinker shade, $\frac{1}{4}$ flared. S, TR, H2

Hendrikje Stoffels (Brouwer, Frank, (NL), 1985). T: Rose red. S: Light rose, white flames, Hz, Rc somewhat. C: Wine red, salmon pink base, darker edge, up to $\frac{1}{4}$ flared. TD, R, H2

Hermiena (Lavieren, GJ, (NL), 1987). T: White, maybe hint of pink. S: White, hint of pink, greenish tips. C: Bold violet, changing to a rich plum. S, TR, H2
I Love You (Murru, Victor, (BE), 1989). T: Creamy white. S: White, slight pink blush, green tips, $\frac{1}{2}$ down, Rc. C: Rich rose pink, orange, white flushes at base, Nf. S, TR, H2
Insetta (Strümper, Karl, (DE), 1990). T: Red, barrel shaped. S: Red, Hz, Rc. C: Rich lavender, pale basal patch, up to $\frac{1}{4}$ flared. S, TR, H2
Izabela Cieszynska (Michiels, Marcel, (BE), 2009). T: White. S: Pale pink, $\frac{1}{4}$ down, Rx, green Rc tips. C: Dark reddish purple, matures magenta & dark reddish purple. D, TR, H2
Jack Shahan (Tiret, Horace, (US), 1948). T: Bright rose red. S: Rose bengal. Hz, Rc tips, more Rc when mature. C: Lilac-pink, up to $\frac{1}{4}$ flared. S, TR, H2
Jan Everett (Everett, Jan, (UK), 2012). T: Medium length, slim, pink (54D). S: White, soft pink under, $\frac{1}{2}$ up, tips strongly Rc. C: Pale purple, matures more reddish, $\frac{1}{4}$ to $\frac{1}{2}$ flared. D, TR, H2
Jess (Meier, M, (UK), 1987). T: Deep rose/pink, slender. S: Deep rose, sm green tips. Hz, slight Rc when mature. C: Intense bright cerise. $\frac{1}{2}$ flared when mature. S, TR, H2
Kames Bay (Reynolds, Eddie, (UK), 2011). T: Creamy white, slight pink blush, slender. S: Creamy white, slight pink blush, green tips, Hz, Rc. C: Deep burgundy, $\frac{1}{4}$ flared. S, TR, H2
Kit Oxtoby (Bielby/Oxtoby, (UK), 1990). T: Porcelain-white, faint rose blush. S: Pale pink, green tips. Hz, Rc tips. C: Pale lilac-pink to rose-pink, darker edge, $\frac{3}{4}$ flared. D, TR, H2
Land van Beveren (Saintenoy, R. P, (BE), 1990). T: Waxy white, slender. S: Waxy white, Hz, slight Rc. C: Carmine pink, small white flashes at bas, $\frac{1}{4}$ flared. S, TR, H2
Lisi (Strümper, Karl, (DE), 1985). T: White. S: White, very pale rose pink, $\frac{1}{2}$ down, slight Rc. C: Violet, pinker & paler base, darker edges, $\frac{1}{4}$ to $\frac{1}{2}$ flared. S, TR, H2
Longfellow (Lockerie, Ronald, L, (AU), 1960). T: White, pink tinge, very long, slender. S: White, rose-violet base, Hz, fully Rc. C: Reddish violet, pale rose base, Nf. S, TR, H2
Moonglow (Riley, Robert, (US), 1991). T: White, pink stripes. S: White tinged peach, $\frac{1}{4}$ down, Rc. C: White, pink streaks, $\frac{1}{2}$ flared. D, TR, H2
My Honey (Palko/Soo Yun (US), 1976). T: White, pink flush. S: White, pink flush, Hz, slight Rc. C: Pale purple mauve, darker edges, pink base, $\frac{1}{4}$ flared. S, TR, H1c
Olympic Lass (Sutherland, Glen, (US), 1967). T: Rose pink, white. S: Rose red at base then white, green tips, Rc. C: Purple, pink bias, darker purple edging. D, TR, H2
Orange Blossom (Meier, M, (UK), 1987). T: White, orange-rose blush. S: White, orange-rose blush. Hz to $\frac{1}{4}$ up, Rc. C: Bright orange, red near petal edges, up to $\frac{1}{2}$ flared. S, TR, H2
Paul und Carola (Michiels, Marcel, (BE), 2007). T: Rose pink, yellow-green stripes. S: Rose pink, green tips, $\frac{1}{8}$ up. C: Violet, matures light purple, rose base & veining, $\frac{1}{2}$ flared. D, TR, H2
Pink Rain (Handley, Enid, (UK), 1976). T: Pale pink with lilac overtone. S: Pale lilac pink, white, apple green tips, Hz. C: Light mallow purple, rose pink veins, $\frac{1}{4}$ flared. S, TR, H2
Popsie Girl (Dowell, E, (UK), 1990). T: Pale pink, bolder pink striping. S: Pale pink, orangey tinge. slightly down. C: Orange, pink bias. S, TR, H2, V
President Margaret Slater (Taylor, Arthur, (UK), 1972). T: White. S: White, pale rose pink blush, $\frac{1}{4}$ to $\frac{1}{2}$ up, Rx. C: Mauve, salmon pink flushes, $\frac{1}{4}$ flared, slight bell shape. S, TR, H2
Princessita (Niederholzer, Gustave, (US), 1940). T: White, faint green tinge & stripes. S: White, slight pink blush under, Rc when mature. C: Deep rose pink, purple bias, $\frac{1}{4}$ flared. S, TR, H2
Put's Folly (Baker, (UK), 1971). T: Pale pink, elongated, slender. S: Creamy white, pale pink blush under, Hz, slight Rc. C: Lilac-pink, paler pink at the base, $\frac{1}{4}$ flared. S, ST, H2
Queen Elizabeth (Garson, Gordon, (US), 1942). T: Red, has a slight waistline. S: Red, elegant, fully Rc. C: Cerise, heliotrope undertones. $\frac{1}{4}$ flared, scalloped edges. S, ST, H2
Raspberry Twist (Pearson, Ove, (US), 1997). T: Pink. S: Notably long, fully up, twisted, pink. C: Rich purple matures more reddish, $\frac{1}{4}$ flared. SD, TR, H2
Ratatouille (de Graaf, Herman, (NL), 1988). T: White. S: White, green tips, up, Rc, curly. C: Purple, white splashes, fully flared when mature. D, TR, H2
Red Spider (Reiter, Victor, (US), 1946). T: Crimson, slender, longish. S: Crimson, Hz, curving up, around - very curvy & twisty. C: Rose-violet, fairly long, little flare. S, TR, H2
Remembering Claire (de Cooker, Mario, (NL), 2008). T: White, purple blush. S: White, purple blush, $\frac{1}{4}$ down, slight Rc. C: Deep purple, $\frac{1}{4}$ flared when mature. S, TR, H2, TF
René-Madeleine (Ector, Ann, (BE), 1999). T: White, peach overtones. S: White or candy pink, white central stripe, curly, Hz, Rc. C: Pale purple, pink at base, rose veins. S, TR, H2
Roesse Duck (Roes, Carel, (NL), 2006). T: Rose. mid length, tapered. S: Rose, slightly darker underside, long, fully Rc. C: Purple maturing to reddish purple, $\frac{1}{4}$ flared. S, TR, H2
Roesse Meton (Roes, Carel, (NL), 2007). T: Pale violet, long, slender, tapering. S: Pale pink, green tips, Hz, Rc tips. C: Violet-blue maturing to violet, $\frac{1}{2}$ flared. S, TR, H2, TF
Rosemary Higham (Barnes, (UK), 1971). T: Pink. S: Pink, bolder pink line down middle. C: Rose pink. S, TR, H2, V
Sensation (Munkner, William, (US), 1962). T: Creamy white. S: Creamy white, $\frac{1}{2}$ up, Rc. C: Rich violet, pink veins, some white or pink splashes, fully flared. S, TR, H2

Strawberry Daiquiri (Four Oaks, (UK), 2004). T: Pale pink, short. S: Pink, slightly darker underneath, Hz, slight Rc. C: Deep rose red, $\frac{3}{4}$ flared when mature. SD, TR, H2
Temptation (Peterson Fuchsia Farms, (US), 1959). T: White, pink blush. S: White, pink blush, Hz, slight Rc. C: Red, orange cast, $\frac{1}{4}$ flared when mature. S, TR, H2
Trailing King (Brown, E, (US), 1936). T: White, short. S: White, greenish tips. Hz, outer $\frac{1}{2}$ Rx. C: Pink/orange. Glows. S, TR, H2
Vincent van Gogh (van der Post, JW, (NL), 1984). T: Pink, darker at stem end, long, slender. S: Pink, green tips, $\frac{1}{2}$ down. C: Pink, up to $\frac{1}{2}$ flared when mature. S, TR, H2, TF
WALZ Blauwkous (Waldenmaier, Henk, (NL), 1989). T: Light pink. S: Light pink, rose under, $\frac{1}{2}$ up, Rc tips. C: Rich purple-blue, darker edges, $\frac{3}{4}$ flared. D, TR, H2
WALZ Freule (Waldenmaier, Henk, (NL), 1985). T: White, pink stripes. S: Pale rose pink through white to green. C: Rich magenta, rose at base, matures paler, $\frac{1}{2}$ flared. S, TR, H1c
WALZ Harp (Waldenmaier, Henk, (NL), 1990). T: Salmon rose, long, tapered. S: Salmon rose fading to orange. Hz, Rx. C: Orange base blending to bold dark red. $\frac{1}{4}$ Flared. S, TR, H1c, TF
WALZ Hoorn (Waldenmaier, Henk, (NL), 1985). T: Cardinal red, long, slim, hip at sepal. S: Bold cardinal red, pink tips, $\frac{1}{2}$ down, slight Rc. C: Magenta, $\frac{1}{4}$ flared. S, TR, H2, TF
Wattenpost (Schütt, Hartwig, (DE), 2002). T: White, rose pink streak. S: White, rose blush, Hz, fully Rc. C: Coral-orange, $\frac{1}{4}$ flared, petals curve out in lower $\frac{1}{2}$. S, TR, H2
Windhapper (Moerman, A, (NL), 1991). T: White, short. S: White, pale rose pink under, Hz, slight Rc, twist. C: Violet, rose pink in centre base, Nf, long, straight. S, TR, H2
Zeeuwse Parel (Herwijnen, van, A, (NL), 1992). T: Rose, slender. S: Rose, touch of violet, $\frac{1}{4}$ down, generous Rc. C: Indigo-violet, rose at the base, Nf, quite long. S, TR, H1c
Zellertal (Gotz, Paul, (DE), 1989). T: Creamy white. S: White, rose pink tinge, tiny green tips, Hz tips Rc. C: Coral pink, pink splashes, $\frac{1}{4}$ flared, crinkled edges. S, TR, H2
Zulu King (de Graaf, Herman, (NL), 1990). T: Deep carmine red. S: Deep carmine, Hz, slight Rc. C: Intense deep dark aubergine, Nf. S, TR, H2

Hardy

Abbé Farges (Lemoine, Victor, (FR), 1901). T: Fairly short, crimson. S: Crimson, almost fully up, tips Rc. C: Semi double lavender maturing rose, $\frac{1}{2}$ to $\frac{3}{4}$.flared. SD, CB, H6
Aloys Hetterscheid (Stoel, Z, (NL), 1996). T: White, faint pink stripes. S: White, dark rose base, light green Rc tips, $\frac{1}{2}$ up. C: White, dark rose at base/edges, $\frac{1}{4}$ flared. S, CB, H5
Andromeda (de Groot, J, (NL), 1972). T: Rich pink. S: Rich pink, Hz. C: Pinkish violet, $\frac{1}{4}$ -flared, smooth petal edges. S, UB, H4
Annabel (Ryle, Dr. Mathew, (UK), 1977). T: White with pink stripes. S: White, pink flush, Hz, slightly twisted, tips Rc. C: White, pink veins, fully double,. AGM, D, B, H3
Arcadia Gold (Birch, (UK), 1984). T: Fairly short, red. S: Red, short, broad, Hz, Rx, tips Rc. C: White, reddish veins at base, fully flared. D, ST, H3, V
Army Nurse (Hodges, Raymond, (US), 1947). T: Cardinal red. S: Cardinal red, slightly up & slightly reflexed. C: Indigo-violet, fully flared. AGM, SD, B, H5
Aurea (N/K, N/K). T: Scarlet, slender. S: Scarlet, $\frac{3}{4}$ down. C: Dark purple, pinkish red at base, $\frac{1}{2}$ down, straight. AGM, S, UB, H5
Avalanche (Henderson, E, (UK), 1869). T: Scarlet, short. S: Bright scarlet, $\frac{1}{2}$ up. C: Purple blue, splashed white, scarlet base, $\frac{1}{2}$ flared. D, ST, H4
Azure Sky (Johns, Eric, (UK), 1989). T: Cream, faint green stripes. S: White, cream tinged pink under, Hz, tips Rc. C: Blue violet maturing purple, $\frac{1}{2}$ flared. SD, B, H4
Baby Blue Eyes (Plummer, (UK), 1952). T: Red, slim, tapering. S: Red, $\frac{1}{2}$ up & Rc. C: Rich lavender blue, Nf. AGM, S, UB, H5
Barbara (Tolley, Wilf, (UK), 1967). T: Short, pale pink. S: Pale pink with green tips, Hz & slightly reflexed. C: Tangerine pink & cherry, $\frac{1}{2}$ flared. S, B, H3
Ben Jammin (Carless, Howard, (UK), 2006). T: Deep rose red. S: Rose red, slightly darker underside. C: Opens reddish purple & matures magenta. SD, CB, H3
Beninkust (de Boer, J, (NL), 1993). T: Deep rose red. S: Rose red, slightly darker underside. C: Opens reddish purple & matures magenta. S, CB, H5, TF
Bernisser Hardy (Weeda, B, (NL), 1985). T: Short, pink/scarlet. S: Vivid purple/red. C: Vivid purple/red. AGM, S, B, H5
Blue Bush (Gadsby, Cliff, (UK), 1973). T: Pale pink blending to rosy red. S: Rose red/pink, fully up , Rc. C: Blue maturing violet, rose veining, $\frac{1}{4}$ flared. S, UB, H4
Border Queen (Ryle, Dr. Mathew, (UK), 1974). T: Short, white with pink blush. S: Blushed pink through white to apple green tips. C: Violet blue with pink veins. AGM, S, B, H4
Brutus (Bull, William, (UK), 1901). T: Crimson, short, slender. S: Crimson, slightly down & well Rc. C: Dark purple maturing lighter, $\frac{3}{4}$ flared. AGM, S, UB, H5

Caledonia (Lemoine, Victor, (FR), 1899). T: Cerise-rose, long. S: Pale rose-cerise, $\frac{1}{4}$ to $\frac{1}{2}$ down. C: Crimson, little or no flare. S, ST, H4, TF
Celia Smedley (Roe, George, (UK), 1970). T: Greenish white. S: Pale pink, almost white, $\frac{1}{2}$ up, Rc greenish tips. C: Smooth petals of a clear, bright pinkish red, $\frac{1}{4}$ flared. AGM, S, UB, H4
Champagne Celebration (Jones, IGM, (UK), 1988). T: Palest pink. S: Pale pink base, rest darker, Hz, Rx. C: Pale pink to purple, salmon edges, matures pale magenta, $\frac{1}{4}$ flared. S, UB, H4
Champion (Banks, Edward, (UK), 1863). T: Rich, glossy cerise. S: Same as tube, almost $\frac{1}{2}$ up, tips Rc. C: Rich purple, dark pink veins, paler near tube, $\frac{1}{4}$ flared. S, B, H3
Charming (Lye, James, (UK), 1887). T: Deep carmine pink. S: Dark carmine pink, $\frac{1}{4}$ down & well Rc. C: Dark indigo-purple with raspberry base. $\frac{1}{2}$ flared. S, B, H5
Chillerton Beauty (Bass, (UK), 1847). T: Pale rose pink. S: Pale pink with green tips. Darker pink underneath. C: Mauve-violet with pink veins, ageing to magenta. AGM, S, UB, H5
Cloverdale Pearl (Gadsby, Cliff, (UK), 1974). T: White or pale pink, short. S: Pale pink, darker pink or green tips, Hz, slight Rc. C: White, red or pink veining, $\frac{1}{4}$ flared. S, CB, H4
Conspicua (Smith, (UK), 1863). T: Crimson. S: Crimson, $\frac{1}{2}$ up, Rc. C: Milk white, raspberry veining, up to $\frac{1}{2}$ flared. AGM, SD, S, UB, H4
Corallina (Pince, (UK), 1844). T: Slender, rich dark purple red. S: Rich dark purple red, fairly long & narrow, $\frac{1}{2}$ down. C: Violet purple, slightly flared. AGM, S, ST, H4
Dark Eyes (Erickson, Robert, (US), 1958). T: Deep red. Short. S: Deep red. Short & broad. C: A bold violet blue, ruffled petals. AGM, D, B, H4
David (Wood, WP, (UK), 1949). T: Cerise. S: Cerise, $\frac{1}{2}$ down with slightly reflexed tips. C: Vivid purple. AGM, S, CB, H5
Delicate Purple (de Cooker, Mario, (NL), 2004). T: Pink, slender. S: Magenta, long, slender, $\frac{1}{4}$ down, Rc. C: Dark purple, matures lighter, neat, overlapping petals, Nf. S, ST, H5
Dorothy Hanley (Carless, Howard, (UK), 1997). T: Short, red & pink. S: Darker red, sometimes green tips. C: Aubergine & pink, full, $\frac{1}{2}$ to $\frac{3}{4}$ flared. SD, B, H3
Empress of Prussia (Hoppe, (UK), 1868). T: Scarlet with darker stripes. S: Glossy scarlet, scarlet under, Hz, Rc. C: Magenta, red bias, matures violet red, $\frac{3}{4}$ to fully flared. AGM, S, UB, H5
Ernie Bromley (Goulding, Edwin, (UK), 1988). T: Crimson-pink. S: Red-pink, Hz. C: Indigo-blue. $\frac{1}{4}$ flared. S, TR, H4
Flash (Hazard, H, & Hazard, B, (US), 1930). T: Thin, pale magenta red. S: Pale magenta, slightly Rc. C: Bright magenta/red. AGM, S, UB, H5
Flashlight (Gadsby, Cliff, (UK), 1971). T: White, hint of rose blush. S: White, rose blush. C: Pale lilac-pink. S, CB, H4
Florence Turner (Turner, ET, (UK), 1955). T: Pale pink, darker stripes. S: Pale pink to white to pale green tips, Hz, slight Rc. C: Pink-purple, darker edges, white base, $\frac{1}{4}$ flared. S, UB, H3
Fokko's Katrientje (Martena, Fokko, (NL), 2002). T: Light pink, striped. S: Light pink, striped red, variable, Hz, Rc. C: Light pink striped red, matures darker, variable, $\frac{1}{4}$ to $\frac{1}{2}$ flared. S, B, H4
Foxgrove Wood (Stiff, Ted, (UK), 1991). T: Pink, darker stripes. S: Cream, pink speckles & veins near tube, $\frac{1}{2}$ up, green tips Rc. C: Light blue maturing lilac pink, $\frac{1}{4}$ flared. AGM, S, UB, H4
Fred Hansford (Owen, Kenneth, (UK), 1986). T: Deep red. S: Deep red, slightly down. C: Dark reddish purple, $\frac{1}{2}$ flared. S, UB, H4, V
Galadriel (de Graaf, Herman, (NL), 1982). T: Medium, ivory. S: Ivory tipped with pink. C: Orange/rich rosy red. Milky-white at base. S, CB, H5
Général Monk (Meillez, A, (FR), 1844). T: Pinkish red. S: Pinkish red, slightly up. C: Fully double, purple aging to bluish mauve, $\frac{3}{4}$ flared. D, CB, H4
Gladys Lorimer (Lorimer, Peter, (UK), 1991). T: Waxy cream, flushed & striped rose. S: Cream flushed rose, $\frac{1}{2}$ up, Rc tips. C: Magenta edged dark orange, $\frac{1}{4}$ flared, bell shaped. S, UB, H4
Glow (Wood, WP, (UK), 1946). T: Red. S: Red, slightly down from Hz. C: Burgundy-purple, scarlet near base, Nf. S, CB, H4
Gracilis (N/K, c. 1790). T: Scarlet red, shortish. S: Scarlet red, $\frac{3}{4}$ down. C: Purple, scarlet purple near base, Nf. AGM, S, UB, H5
Grayrigg (Thornley, Alfred, (UK), 1978). T: White, green flush, short. S: White, pink tinge, green tips. C: Soft pale pink, $\frac{1}{3}$ flared. S, UB, H4
Grumpy (Tabraham, AP, (UK), 1974). T: Deep pink. S: Deep pink. C: Aubergine-blue maturing violet-purple, $\frac{1}{4}$ flared. S, CB, H4
Happy Fellow (Waltz, Muriel, (US), 1966). T: Light orange. S: Light orange, apple green tips, fully up, tips Rc. C: Orange, smoky rose, petals rolled inwards, $\frac{1}{4}$ flared. S, B, H3
Herald (Sankey, (UK), 1887). T: Scarlet, plump. S: Scarlet, Hz, tips Rc. C: Deep bluish purple with cerise veins, $\frac{1}{4}$ flared. AGM, S, B, H6
Howlett's Hardy (Howlett, Charles, (UK), 1952). T: Scarlet. S: Scarlet, fully up. C: Violet-purple, scarlet veins, matures reddish-purple, $\frac{1}{4}$ flared. AGM, S, B, H5
Isis (de Groot, J, (NL), 1973). T: Pinkish red (50B). S: Pinkish red, HZ, straight. C: Purple, scarlet purple base, $\frac{1}{4}$ flared. S, CB, H4

James Travis (Thorne, Thomas, (UK), 1960). T: Medium length & thickness, dark pinkish red. S: Dark pinkish red, $\frac{1}{2}$ up, Rc & slightly twisted. C: Warm lavender purple. SD, CB, H3
Jim Watts (Hutchins, (UK), 2003). T: Waxy pink. S: Blush pink tipped green. Hz with Rc tips. C: Pale lavender-pink, up to $\frac{1}{4}$ flared. S, CB, H3
Lady Bacon (Bacon, (UK), N/K). T: Pink & rose. S: Rose to white, tiny green tips. C: Violet, white at base, Nf. S, UB, H4
Lady Boothby (Raffil, CP, (UK), 1939). T: Bright crimson. S: Bright crimson. C: Very dark purple, crimson pink splashes near base, $\frac{3}{4}$ flared. AGM, S, UB, H4
Lady Thumb (Roe, George, (UK), 1966). T: Reddish light carmine, short. S: Reddish light carmine, $\frac{1}{2}$ down. C: White, pale carmine veining near base, $\frac{1}{2}$ flared. AGM, SD, CB, H5
Lechlade Magician (Wright, JA & JO, (UK), 1985). T: Purplish red. S: Purplish red, slightly down from Hz. C: Bold purple, matures slightly reddish, Nf. S, UB, H4
Lidie Bartelink (Stoel, Z, (NL), 1990). T: Dark rose. S: Dark rose, pale yellowish green tips, $\frac{1}{2}$ up, Rc. C: Smooth petals, $\frac{1}{4}$ flared, red purple. S, B, H6
Little Beauty (N/K, N/K). T: Bright red, short. S: Bright red, Hz, slightly Rc. C: Strong lavender blue, $\frac{1}{4}$ flared. S, CB, H3
Lynne Marshall (Tabraham, AP, (UK), 1974). T: A lovely pale pink. S: Same as the tube, almost Hz, Rc. C: Lavender blue, pink & pale rose base, $\frac{1}{2}$ flared. S, B, UB, H3
Machu Picchu (de Graaf, Herman, (NL), 1985). T: Rose pink, quite long. S: Rose pink & red, green Rc tips, Hz. C: Bright, slightly smoky red, $\frac{1}{2}$ flared. S, ST, H4, TF
Major Heaphy (Niederholzer, Gustave, (US), 1941). T: Orange red (39B). S: Dark pink red, Hz, tips Rc. C: Dark pink-red, paler orangey flush near base, $\frac{1}{2}$ flared. S, B, H3
Margaret Brown (Wood, WP, (UK), 1949). T: Rose pink. S: Rose pink, slightly down, straight. C: Rose pink, darker veining, up to $\frac{1}{2}$ flared. AGM, S, UB, H5
Mephisto (Reiter, Victor, (US), 1941). T: Glowing pinkish red. S: Same as tube, darker under, Hz, Rc. C: Pinkish purple, $\frac{1}{4}$ flared. AGM, S, UB, H4
Mercurius (de Groot, J, (NL), 1972). T: Dark pink red. S: Dark pink red, Hz, tips slightly Rc. C: Dark pink violet, pleated opening slight bell shape, $\frac{1}{2}$ flared. AGM, S, B, H4
Mr A Huggett (Huggett, (UK), 1930). T: Scarlet, short. S: Scarlet-cerise. Hz & slightly Rc. C: Pink with mauve bias. Purple pink edging at base, up to $\frac{1}{2}$ flared. S, CB, H5
Mrs Lovell Swisher (Evans & Reeves, (US), 1942). T: White. S: White with green tips, Hz with slight reflex. C: Dusky red-violet, $\frac{1}{4}$ flared. AGM, S, B, H4, TF
Mrs Popple (Elliot, (UK), 1899). T: Scarlet, glossy. S: Scarlet, glossy on top, $\frac{1}{2}$ down, slight Rc. C: Violet-purple fading to rose-red base, $\frac{1}{4}$ flared. AGM, S, UB, H6
Old Somerset (Clapton Court Gardens, (UK), 1982). T: Bold red. S: Red, $\frac{1}{2}$ down, slender. C: Dark purple, reddish purple at base, Nf. S, B, H3, V
Pam Plack (Plack, PH, (UK), 1998). T: White. S: White, slightly down, Rx & Rc. C: Light lilac pink maturing darker, $\frac{1}{4}$ flared. AGM, S, UB, H4
Phyrne (Lemoine, Victor, (FR), 1905). T: Rich cerise pink. S: Bold cerise pink, $\frac{1}{2}$ up, tips Rc. C: White or pale pink, veined rich cerise pink, full, $\frac{3}{4}$ flared. D, UB, H4
President George Bartlett (Bielby & Oxtoby, (UK), 1997). T: Rich red-violet. S: Rich red-violet, $\frac{3}{4}$ up, tiny tip Rc. C: Dark violet-purple, matures slightly lighter, $\frac{1}{2}$ flared. D, B, H4
President Leo Boullemier (Burns, David, (UK), 1983). T: White, tinge of pink. S: Pinkish white, slightly up, tips Rc. C: Soft lavender blue, matures soft magenta, $\frac{1}{2}$ flared. S, B, H4
President Moir (Moir, James, (NZ), 1963). T: Bold red. S: Bold red, Hz with slight reflex. C: Violet, slightly redder edges & veins, up to $\frac{3}{4}$ flared. S, B, H3
President Norman Hobbs (Bielby & Oxtoby, (UK), 1990). T: Light orange. S: Light orange, Hz, slight Rc. C: Red, dark orange base, matures red streaked vermillion, $\frac{1}{2}$ flared. S, B, H3
Preston Guild (Thornley, Alfred, (UK), 1971). T: White. S: White, green tips, Hz, Rc. C: Violet blue, darker edges, paler at base, up to $\frac{1}{2}$ flared. AGM, S, UB, H3
Prince of Orange (Banks, Edward, (UK), 1872). T: Soft salmon pink. S: Soft salmon pink, slightly up, tips slightly Rc. C: Orange-salmon, darker fine veining, $\frac{1}{2}$ flared. S, CB, H3
Prosperity (Gadsby, Cliff, (UK), 1974). T: Medium, crimson/red. S: Long, curved well back over tube, crimson. C: Flushed pink & veined rosy red. AGM, D, UB, H5
Query (Bass, (UK), 1848). T: Pale pink, short, slightly bulbous. S: Pale pink, darker underneath, Hz. C: Purple, maturing magenta, dark pink veins, $\frac{1}{4}$ flared. S, B, H6
Red Ace (Roe, George, (UK), 1983). T: Red. Very. S: Red, glossy. Hz, Rc. C: Purple-red, red base, $\frac{3}{4}$ flared. D, B, UB, H4
Remember Eric (Johns, Eric, (UK), 2002). T: White. S: White, pink blush, Hz, slight Rc near pale green tips. C: Petals pink, deeper pink picotee edges, $\frac{1}{2}$ flared. S, B, H3
Riccartonii (Young, James, (UK), 1830). T: Bright red. S: Bright red. C: Dark violet, up to $\frac{1}{2}$ flared. AGM, S, B, H6
Rose of Castile Improved (Rowson, (UK), 1869). T: White with touch of green. S: White, pink tinge on top, greenish tips, $\frac{1}{2}$ down. C: Violet with reddish bias, $\frac{1}{2}$ flared. AGM, S, B, H5

Rosecroft Beauty (Eden, (UK), 1969). T: Red, fairly short. S: Same red as tube, fairly broad, $\frac{1}{2}$ up. C: White, traces of dark pink veins at base, $\frac{3}{4}$ flared. SD, CB, H4, V
Ruth (Wood, WP, (UK), 1949). T: Pale rose, short. S: Pale rose, slightly down, slightly Rx. C: Purple red, rose pink base, darker fine veins, to $\frac{1}{2}$ flared. S, UB, H4
Santa Cruz (Tiret, Horace, (US), 1947). T: Rose red. S: Rose red, Hz with strong recurve. C: Rose red base, violet purple, $\frac{1}{2}$ flared. SD, B, H3
Scarcity (Lye, James, (UK), 1869). T: Deep glossy scarlet. S: Deep glossy scarlet, slightly up, Rc tips. C: Deep purple, matures paler, fine scarlet veining, $\frac{1}{3}$ flared. S, B, H3
Sealand Prince (Walker, Roy, (US), 1967). T: White flushed pink. S: Carmine, fully up, twisted, Rc tips. C: Dark purple, pink base, pale base, $\frac{3}{4}$ flared. S, UB, H6
Star Wars (Sinton, Roy, (UK), 2002). T: White, maybe a greenish tinge. S: White, green at the tips. C: An extraordinary violet blue, white at base, $\frac{1}{2}$ flared. S, B, H4
Tausendschön (Nagel, (DE), 1919). T: Short, dark red. S: Quite short & broad, dark red, $\frac{1}{2}$ up, tips Rc. C: Warm pink, with dark red veins. D, B, H5
The Tarns (Travis, James, (UK), 1962). T: Pale pink. S: Pale pink, rose under, long, slender, $\frac{1}{2}$ down, Rx tips. C: Violet-blue, rose at base. S, B, H4
Toby S (Birt, Ray, (UK), 2014). T: Bold rose, short. S: Bold rose pink, paler under. C: Pale pinkish mauve, bell shape, $\frac{1}{4}$ to $\frac{1}{2}$ flared. S, CB, H3
Tom Thumb (Baudinar, (FR), 1850). T: Carmine, short & slender. S: Carmine, shortish & $\frac{1}{4}$ down with slightly reflexed tips. C: Mauve with purple bias. AGM, S, CB, H6
Tom West (Meillez, A, (FR), 1853). T: Small, red. S: Red, well out, short, broad. C: Violet/purple. AGM, S, ST, H4, V
Versicolor (N/K, N/K). T: Scarlet red, shortish. S: Scarlet red, $\frac{3}{4}$ down. C: Purple, shading scarlet purple towards base of petals. AGM, S, B, H5, V
Waveney Gem (Burns, David, (UK), 1985). T: White, mauve pink flush. S: White, pink flush. C: Mauve, pink tone. S, TR, H3
Wharfedale (Hanson, Geoff, (UK), 1993). T: White with very pale pink stripes. S: Pale pink blush. Hz with full recurve. C: Purple-pink, fading to white at base. $\frac{1}{4}$ flared. AGM, S, UB, H5
Whiteknights Amethyst (Wright, JA & JO, (UK), 1980). T: Crimson. S: Deep crimson, $\frac{1}{4}$ down, Rc. C: Purple-violet. S, B, H4
Whiteknights Pearl (Wright, JA & JO, (UK), 1980). T: White. S: Pale pink, green tips, just under Hz, small Rc at tips. C: Clear pink, rounded petals. AGM, S, B, H4

Encliandra

Allen Jackson (Evans, PW, (UK), 2007). T: Pink. S: Pink & white. C: Rose red. S, B, H3
Ariel (Travis, James, (UK), 1973). T: Magenta red. S: Magenta, green tips. C: Deep magenta red. S, UB, H2
Bryan Breary (Breary, Brian, (UK), 1995). T: Pale pink. S: Pink, darker towards tips & darkening overall with maturity. C: None. S, UB, H2
Cinnabarina (N/K, c. 1829). T: Orangey rose-pink. S: Orangey red. C: Red. S, B, H3
Cottinghamii (<i>F. bacillaris</i> x) (Alberta, (CA), 1982). T: Pink. S: Pink with green tips. C: Light pink. S, B, H3
<i>F. ravenii</i> (Breedlove, D., 1969). T: Red-pink. S: Red-pink. C: Red-pink. S, B, H2
<i>F. thymifolia</i> (Humboldt, Bonpland, Kunth, 1823). T: Fuchsia pink. S: Fuchsia pink. C: Fuchsia pink. S, B, H2
Fiona Pitt (Saunders, Eileen, (UK), 1989). T: Scarlet. S: Purple scarlet. C: Pale pink, matures fuchsia pink. S, UB, H2
Fuksie Foetsie (van der Grijp, H, (NL), 1979). T: White, rose blush. S: Pale rose. C: Pale rose. S, B, H3
Gris (N/K, N/K). T: Reddish purple. S: Reddish purple, dark tips, Hz. C: Lilac rose, small, Nf. S, ST, H1c
Jan van Erp (0.00., 1998). T: Medium, deep pink. S: Deep pink, $\frac{1}{2}$ down. C: Slightly paler pink, $\frac{3}{4}$ flared. S, CB, H1c
Jimmy Cricket (Strickland, Trevor, (UK), 1998). T: Pink. S: Pink, white. C: Coral pink. S, B, H1c
Katinka (Goedman / Frankema, (NL), 1989). T: Fuchsia pink, scarlet. S: Scarlet, orangey overtones. C: Red, orangey overtones. S, B, H1c
Kirsten de Keijzer (de Keijzer, AG, (NL), N/K). T: Rich pink. S: Rich pink & green, Hz. C: Rich pink, orange flush, short, broad petals, fully flared. S, B, H1c

Laura Cross (Strickland, Trevor, (UK), 1999). T: Short, bright pink. S: Bright pink. C: Orangey pink. S, B, H3
Little Jessica (Garcia, Sid, (UK), 2015). T: White, proportionately long. S: White, matures blushed purplish red, above Hz. C: White, faint reddish purple blushes, $\frac{3}{4}$ flared. S, CB, H2
Mendocino Mini (Francesca, Stasko, (US), 1975). T: Proportionately long, white. S: Open white & quickly changes to rose pink, fully up, Rc. C: Rose pink, $\frac{3}{4}$ flared. S, B, ST
Mrs Lee Belton (Morrison, Jill, (UK), 2007). T: Pinkish orange. S: Pinkish orange, Hz, tips slightly Rx. C: Fully flared, Pinkish orange. S, UB, H1c
Neopolitan (Clark, Dave, (UK), 1984). T: White pink, red. S: White pink, red. C: White pink, red. S, B, H3
Obcylin (Beije, Martin, (NL), 1997). T: Short, light orangey pink. S: slightly up, light orangey pink. C: Fully flared, orange. S, UB, H1c
O'Carol (Strickland, Trevor, (UK), 2005). T: White, pink blush. S: White, green tinge. C: Pink, white blush. S, UB, H3
Orange Star (Robson, J & L, (UK), 2002). T: Dark pinkish orange. S: Dark pinkish orange, $\frac{1}{2}$ up. C: Dark orange, $\frac{3}{4}$ flared. S, UB, H1c
Oulton Hoya (Payne, (UK), 2008). T: Pale rose. S: Pale rose, darker tips. C: White, pink tinge. S, UB, H1c
Oulton Tu-Fu (Payne, (UK), 1998). T: Fresh pink. S: Pink, short. C: Pretty pink. S, UB, H1c
Radings Michelle (Reiman, Dr. Drude, (NL), 1980). T: Magenta-rose. S: Magenta-rose, darker at tips. C: Light rose-magenta. S, UB, H3
Reflexa (<i>F. bacillaris</i> x) (N/K, N/K). T: Fuchsia pink. S: Fuchsia pink, darker tips. C: Fuchsia pink, $\frac{3}{4}$ flared. S, UB, H2
Shawna Ree (Pike, LR, (US), 1985). T: White. S: Pale red-violet, matures darker. C: Palest violet-pink. S, B, H3
Siberoet (de Boer, J, (NL), 2000). T: Pale pink. S: Pale pink, $\frac{1}{2}$ down, tips Rx. C: White; matures pale pink, $\frac{1}{2}$ flared, bell shaped. S, B, H1c
Silver Lining (N/K, N/K). T: Deep pink, long. S: Deep pink, slender, long $\frac{3}{4}$ up, Rc. C: Lilac-rose, paler base, $\frac{3}{4}$ flared. S, ST, H2
Snowflake (Strickland, Trevor, (UK), 1998). T: White. S: White, green tips. C: White. S, B, H1c
Straat of Plenty (de Boer, J, (NL), 2002). T: Pale pink. S: Rose, fully up, tips Rc. C: Pale pink, shoit, fully flared. S, B, H3
Sweet Sarah (Lee, (UK), 1999). T: Pale pink. Parentage: Unknown. S: Coral pink. S, B, H3
Think Pink (Plows, Redine, (US), 1989). T: Deep pink. S: Deep pink, Hz, pointed tips. C: Warm pink, fully flared petals slightly ruffled at the edge. S, UB, , H3
Tomarama (Fuchsiarama, (ES), 1987). T: Light pink. S: Light pink. C: Palest pink. S, UB, H3
White Clove (N/K, N/K). T: White, long for type. S: Pale mauve-pink. C: Pale mauve-pink, darker. S, B, H1c

Triphylla

Andenken an Heinrich Henkel (Rehnelt, Friedrich, (DE), 1896). T: Light reddish pink. S: Light reddish pink. C: Light crimson red. S, UB, H1c, TF
Butterfly Dance (de Cooker, Mario, (NL), 2010). T: Red orange, long. S: Red orange, slender, $\frac{1}{2}$ down. C: Orange, petals on stalks, Nf. S, UB, H1c, TF
Dharlah (de Cooker, Mario, (NL), 1905). T: Pink. S: Pink, light pink under, $\frac{1}{2}$ down, tips Rc. C: Pale pink, wavy petal margins, Nf. S, UB, H2, TF
Fred Swales (Bielby/Oxtoby, (UK), 1976). T: Orange/red. S: Orange. C: Orange. S, ST, H1c, TF
Georg Börnemann (Bonstedt, (DE), 1988). T: Reddish salmon-pink, long. S: Reddish salmon-pink, green tips, fully down. C: Salmon pink. AGM, S, B, H1c, TF
Göttingen (Bonstedt, (DE), 1905). T: Orange red. S: Orangey red. C: Coral red. S, B, H1c, TF
John Maynard Scales (Goulding, Edwin, (UK), 1904). T: Orange, a salmony-pink cast. S: Orange, a salmony-pink cast. C: Pink, orange overtones. AGM, S, B, H1c, TF
Koralle (Bonstedt, (DE), 1985). T: Salmon orange, long, slender. S: Salmon orange, short. C: Again, salmon orange. AGM, S, UB, H1c, TF
Leverkusen (Hartnauer, (DE), 1923). T: Rose-cerise, stubby, bulging. S: Rose-cerise, $\frac{1}{2}$ down, Rx tips. C: Rosy cerise, orange tint. S, UB, H1c, TF
Mary (Bonstedt, (DE), 1897). T: Bold electric crimson. S: Bright electric crimson, fully up. C: Bright electric crimson, $\frac{3}{4}$ flared. AGM, S, UB, H1c, TF

Monty Python (van den Burgh, J, (NL), 1994). T: Orange-pink, long. S: Bright orange, salmon pink tips, ½ down, slightly Rx. C: Deep orange. S, ST, H1c, TF
Noblesse (Moerman, A, (NL), 1987). T: Rose pink, darker stripes. S: Rose pink, tiny apple green tips. C: Bold rose pink. S, B, H1c, TF
Orient Express (Goulding, Edwin, (UK), 1985). T: Pink, darker stripes, long. S: Pale pink, ½ down. C: Rose-pink, ¼ flared when mature. AGM, S, B, H1c, TF
Phaidra (de Cooker, Mario, (NL), 1999). T: Rich rose red. S: Rich rose red, maroon tip, ½ down, Rc. C: Deep rose pink, scarlet veining, ½ flared when mature. S, UB, H1c, TF
Piper's Vale (Stannard, B, (UK), 1992). T: Pink, long. S: Bold Pink, ½ down, straight. C: Deeper pink. S, ST, H1c, TF
Pledle (N/K, N/K). T: Rose red blending to red-violet. S: Red-violet, plum tips, ½ down, Rx. C: Rich mulberry. S, B, H1c, TF
Roos Breytenbach (Stannard, B, (UK), 1993). T: Red, pink tinge, long. S: Pink, shades darker toward tips, ½ down. C: Pink, crinkly pleats, orange tint at base. S, B, H1c, TF
Sappho Phaoon (de Cooker, Mario, (NL), 2011). T: Amaranth pink. S: Amaranth pink, rose edges, ¼ down. C: Amaranth pink, rose picotee edges, ¼ flared. S, ST, H1c, TF
Sparky (Webb, Peter, (UK), 1994). T: Deep smoky red. S: Short, spiky, deep smoky red tips, ½ down. C: Short petals, deep smoky red. S, CB, H1c, TF
Strike the Viol (de Cooker, Mario, (NL), 2012). T: Flamingo pink, orange overtones. S: Rose pink, claret tips. C: Orange blending to shocking pink at edges. S, UB, H1c, TF
Tauden's Heil (N/K, (US), N/K). T: Salmon orange, long, slender. S: Salmon orange, ½ down, Rx. C: Again, salmon orange. S, UB, H1c, TF
Thalia (Bonstedt, (DE), 1905). T: Scarlet-orange, slim, tapering. S: Scarlet-orange, paler tips, ½ down, straight. C: Orange-red. AGM, S, UB, H1c, TF
Tubular Bells (Bielby/Oxtoby, (UK), 2002). T: Orange, long slender. S: Orange, sharply pointed, ½ down, straight. C: Orange. S, UB, H3, TF
Whiteknights Ruby (Wright, JA & JO, (UK), 1976). T: Imperial purple, long. S: Imperial purple, Hz, Rc, tips Rx. C: Imperial purple, short. S, UB, H1c, TF

Species & Unusual Hybrids

Amaranth (Dijkstra, Egbert, (NL), 2004). T: Red with orange overtones. S: Bold rose pink with green tips. C: Orange, sometimes red edges, ½ flared. S, CB, H1c, TF
Anneke de Keijzer (de Keijzer, AG, (NL), 1998). T: Long, thin, orange. S: Deep rose red lightening to orange. C: Orange. S, ST, H1c, TF
Atahualpa (Beije, Martin, (NL), 2000). T: Long, Red/orange. S: Orange/red. C: Orange. Bright. S, UB, H2
Daryn John Woods (Goulding, Edwin, (UK), 2000). T: Aubergine-violet. S: Aubergine-violet. C: Purple. S, ST, H1c, TF
Elburg's Minibel (de Groot, J, (NL), 2009). T: Pale green, stippled purple. S: Pale green, more purple as it matures. Fully up, Rc. C: Pure white, fully flared. UB, H2
F. boliviiana (Carrière, (BO), 1882). T: Bright Scarlet. Very long. S: Bright Scarlet, short. C: Bold Bright Scarlet. S, UB, H2, TF
F. boliviiana Alba (Carrière, (BO), 1876). T: Very long funnel shaped. White. S: Fully reflexed, short, flushed pink, green tips. C: Bold crimson red. S, B, H2, TF
F. campos-portoi (Pilger & Schulze (BR), 1935). T: Red, short & slender. S: Red, ½ down & Rc. C: Bluish red maturing purplish red, Nf. S, B, H5
F. coccinea (Kew Gardens, (UK), 1789). T: Pale pink. S: Rich rose pink, quite long. C: Dark purple, small, neat. S, UB, H6
F. denticulata (Ruiz & Pavon, (PE), 1802). T: Pink/red. S: Red through white to green tips. C: Scarlet to red. S, UB, H2, TF
F. encliandra ssp. encliandra (Berry, Dr Paul E, (US), 1969). T: Pale rose pink, conical. S: Bold rose pink, slender, ¾ up. C: Bright & bold rose pink, fully flared & very Rc. S, B, H4
F. glazioviana (Taubert, (BR), 1888). T: Deep pink, slender. S: Deep pink, slightly lighter under, ½ down, slight Rc. C: Deep violet, no flare. S, B, H2, TF
F. hatschbachii (Berry, Dr Paul E, (US), 1985). T: Red. S: Red, flared downwards. C: Violet. S, UB, H4
F. juntasensis (Kuntze, O, (BO), 1898). T: Lilac, purple veins. S: Lilac to pale lilac. C: No corolla, spectacular stamen, purple filaments, bright orange anthers. S, UB, H1c, TF
F. loxensis (Humboldt, Bonpland, Kunth, 1823). T: Deep pink. S: Deep pink, green tips. C: Orange. S, B, H1c, TF
F. lycioides (Andrews, (CL), 1800). T: Smoky pink. S: Pink, green tips. C: A red purple. D, S, UB, H1c

F. perscandens (Cockayne & Allen, (NZ), 1927). T: Dark pink to aubergine. S: Aubergine to yellow green, Hz & reflexed. C: Vestigial, aubergine, $\frac{3}{4}$ flared. S, TR/Cr, H3
F. procumbens (Cunningham, (NZ), 1834). T: Green, yellow, red. S: Green, short, purple tipped. C: None. S, TRCr, H3
F. procumbens Wirral (N/K, N/K). T: Green, yellow, red. S: Green, short, purple tipped. C: None. S, TR/Cr, H4
F. regia ssp. serrae (N/K, N/K). T: Bold red. S: Bold red, $\frac{1}{2}$ down, Rc slightly. C: Purple. S, UB, H5
F. splendens (Zuccarini, (MX), 1832). T: Coral red. S: Coral red, then green. C: Green. S, UB, H2, TF
F. thymifolia ssp. thymifolia (N/K, N/K). T: White. S: White, pink, crimson, green. C: White, pale lilac pink blushes, fully flared. S, B, H2
F. x colensoi Purpurascens (Hooker, (NZ), 1867). T: Green. S: Green. C: None. D, S, UB, H4
First Success (Weeda, B, (NL), 1985). T: Pink, slender. S: Light pink, Hz, green tips. C: Light pink, $\frac{1}{4}$ flared. D, S, ST, H1c
Grasmere (Travis, James, (UK), 1964). T: Longish, slim, coral red. S: Coral red, green tipped. C: Bold coral pink. S, UB, H2, TF
Grietje (Bögemann, Lutz, (DE), 1984). T: Yellowish green at ovary end then rosy red. S: Light rose on top, purple underneath, green tips. C: Purple red, fully flared. S, B, H2
Herps Bazuin (Waldenmaier, Henk, (NL), 2004). T: Light orange, slender. S: Orange, peach under, fully down, Rx tips. C: Dark orange, $\frac{1}{2}$ flared. S, UB, H1c
Herps Conga (Waldenmaier, Henk, (NL), 2007). T: Bold lilac red. S: Dark lilac red, green tips, $\frac{1}{2}$ up. C: Dark reddish purple, full double, $\frac{3}{4}$ flared. D, ST, H2
Javelin (Brouwer, Frank, (NL), 1990). T: Crimson, longish, slim. S: Cardinal red, crimson under, green tips. Hz, Rc. C: Deep red. S, ST, H2
Lechlade Debutante (Wright, JA & JO, (UK), 1984). T: Pale pink. S: Pale pink, green on upper $\frac{1}{2}$, Hz, Rx tips. C: Clear pink. D, S, UB, H1c
Lechlade Maiden (Wright, JA & JO, (UK), 1985). T: Rose pink. S: Pale lemony green. C: Pale pink, darker edges. S, ST, H2, TF
Lechlade Martianess (Wright, JA & JO, (UK), 1985). T: Pale orange. S: Short, green, downward flare. C: Pale orange, matures blushed pink, cream inside edges. S, ST, H2
Miep Aalhuizen (de Graaf, Herman, (NL), 1986). T: Lilac-pink, longish & tapering. S: Lilac-rose. Hz. C: Lilac-rose. Flared. S, UB, H1c
Northumbrian Pipes (de Graaf, Herman, (NL), 1983). T: Maroon to pink. S: Pink, green tinge at tips. Short, $\frac{1}{2}$ down. C: Pale lilac rose, $\frac{1}{2}$ flared. S, ST, H1c, TF
Pan (de Graaf, Herman, (NL), 1992). T: Pink. S: Pink, very slightly down from Hz, very slight Rc. C: Pink, $\frac{1}{4}$ flared. S, T, H1c, TF
Red Rain (de Graaf, Herman, (NL), 1986). T: Bold dark red. S: Bold dark red, just under Hz, slight Rc. C: Rich red, $\frac{1}{4}$ flared. S, T, H2, TF
Rijs 2001 (de Boer, J, (NL), 2001). T: Dark rose. S: Light greenish white, $\frac{1}{2}$ down, tips Rc. C: White, $\frac{1}{2}$ flared. S, ST, H1c
Rubra Grandiflora (Henderson, D, (UK), c. 1880). T: Red, very long. S: Red through yellow to green tips, $\frac{1}{2}$ down. C: Red-vermillion, $\frac{1}{2}$ flared. S, B, H1c, TF
Shuna Lindsay (Travis, James, (UK), 1980). T: Vermillion fading to pink. S: Pink to white to green at the tips. C: Orange, pink at the base. S, UB, H1c, TF
Straat Magelhaen (de Boer, J, (NL), 1996). T: Green, maroon undertones. S: Green, dark red tinges. C: N/A D, S, TR/Cr, H1c
Taco (de Boer, J, (NL), 1997). T: Reddish pink, long. S: Rose pink fading to lemon to apple green tips. C: Rose, small, flared into separate slender petals. S, UB, H2, TF
Tarra Valley (Felix, Rina, (NL), 1987). T: Pale olive green. S: Light green, aubergine edging. C: Rich plum/aubergine. D, S, ST, H2
Toosje Vantveer (Smits, A, (NL), 2012). T: Dark red (53A). S: Dark red, Hz, tips Rc. C: Dark orange red, fully flared. S, B, H1c
Vendeta (Blaber, (UK), 2002). T: Raspberry red in colour. S: Short, raspberry red, green tips. C: Long, flared, orange. S, UB, H2, TF
WALZ Lucifer (Waldenmaier, Henk, (NL), 1991). T: Rose pink, slender. S: Rose pink, tiny green tips, Hz slight Rx near tips. C: Orange, rose veins, $\frac{1}{4}$ flared. S, ST, H2, TF
Willy Nijhuis (Schwab, RP, (NL), 1996). T: Deep pink to light rose pink. S: Rose pink fading to yellow & green at tips. C: Red, orange cast. S, B, H1c, TF
Wilma van Druten (Koerts, Tielko, (NL), 1997). T: Pink, darker candy stripes. S: Pink to near white tips, near Hz. C: Pink base, pink veins, fades white with hint of mauve. S, B, TF



HARDINESS RATINGS

Sharing the best in Gardening


RHS Registered Charity No: 222879/SC038262

Rating	Temperature ranges (°C)	Category	Definition	USDA
H1a	>15	Heated greenhouse - tropical	Under glass all year.	13
H1b	10 - 15	Heated greenhouse - subtropical	Can be grown outside in the summer in hotter, sunny and sheltered locations (such as city centre areas), but generally perform better under glass all year round.	12
H1c	5 - 10	Heated greenhouse - warm temperate	Can be grown outside in the summer throughout most of the UK while day-time temperatures are high enough to promote growth. (Most bedding plants, tomatoes and cucumbers).	11
H2	1 - 5	Tender - cool or frost-free greenhouse	Tolerant of low temperatures, but not surviving being frozen. Except in frost-free inner-city areas or coastal extremities requires glasshouse conditions. Can be grown outside once risk of frost is over. (Most succulents, many subtropical plants, annual bedding plants, many spring-sown vegetables).	10b
H3	1 - -5	Half hardy - unheated greenhouse/mild winter.	Hardy in coastal and relatively mild parts of the UK except in severe winters and at risk from sudden (early) frosts. May be hardy elsewhere with wall shelter or good microclimate. Likely to be damaged or killed in cold winters, particularly with no snow cover or if pot grown. Can often survive with some artificial protection in winter. (Many Mediterranean-climate plants, spring sown vegetables for later harvesting).	9b/10a
H4	-10 - -5	Hardy - average winter	Hardy though most of the UK apart from inland valleys, at altitude and central/northerly locations. May suffer foliage damage and stem dieback in harsh winters in cold gardens. Some normally hardy plants may not survive long wet winters in heavy or poorly drained soil. Plants in pots are more vulnerable to harsh winters, particularly evergreens and many bulbs. (Many herbaceous and woody plants, winter brassicas, leeks).	8b/9a
H5	-15 - -10	Hardy - cold winter	Hardy in most places throughout the UK even in severe winters. May not withstand open/exposed sites or central/northern locations. Many evergreens will suffer foliage damage, and plants in pots will be at increased risk. (Many herbaceous and woody plants, some brassicas, leeks).	7b/8a
H6	-20 - -15	Hardy - very cold winter	Hardy in all of UK and northern Europe. Many plants grown in containers will be damaged unless given protection. (Herbaceous and woody plants from continental climates).	6b/7a
H7	< -20	Very hardy	Hardy in the severest European continental climates including exposed upland locations in the UK. (Herbaceous and woody plants from continental climates).	6a-1


Hardiness rating notes

1. New hardiness ratings supersede the previous RHS hardiness ratings (H1-H4) which are not the direct equivalents of the new ratings.
2. The temperature ranges are intended to be absolute minimum winter temperatures (°C), not the long-term average annual extreme minimum temperature used for the USDA zones.


Sepal Positions



Sepal Tips



Corolla Shapes



Notes